

# BOSTITCH®



**TOOLS & FASTENERS**  
FOR CARTON CLOSING & PACKAGING

[www.bostitch.co.uk](http://www.bostitch.co.uk)

## CARTON CLOSING

### Setting the standards for industrial fastening

**BOSTITCH®** has been designing and manufacturing tools and fasteners for a wide variety of applications and industries since 1896.

Today **BOSTITCH®** remains one of the largest manufacturers of nailing & stapling tools and fasteners in the world.

We are committed to delivering a dedicated range for carton closing and packaging environments and to achieve this, we make sure that we listen to our customers' commercial needs.

We've built our reputation on solid manufacturing principles, going to extremes to ensure that every tool bearing our name is more than capable of providing years of safe, reliable and trouble free service.

The latest range of professional fixings solutions for carton closing reflects the **BOSTITCH®** culture of continued tool & fastener development keeping your business at peak performance.



### CORDLESS, MANUAL AND PNEUMATIC TOOLS

#### TOOLS TO SUIT YOUR WORKFLOW

Depending on the size of your operation and how portable you need your tool to be, you can select from cordless, manual or pneumatic packaging tools as well as those that use strips of staples or those that are collated on a roll. Our range also includes models incorporating features such as hanging ports for heavier tools, resulting in less stress and strain for operators - all important for maximum productivity.



## STAPLES - THE SOLUTION FOR YOUR BUSINESS

Whilst there are many different ways of sealing cartons, using staples offers some significant advantages over other methods.

As well as being incredibly quick and easy to use, staples are environmentally friendly and 100% recyclable and do not hide important carton graphics. Their resistance to both heat and humidity also provides an extremely secure seal, protecting the contents throughout the supply chain.

Stapling can also be a more cost effective method over other options such as self adhesive tape.



<b>INTRODUCTION</b>	2-3
<b>CHOOSING THE RIGHT TOOL &amp; FASTENER</b>	4-5
<b>TOP SEALING</b>	
<b>STICK STAPLES SUMMARY</b>	6
<b>CORDLESS STICK TOOLS</b>	
• DSA-3519-U	7
• DSA-3522-U	7
<b>MANUAL STICK TOOLS</b>	
• MS-3219-E	8
• MS-3519-E	8
• MS-3522-E	8
<b>PNEUMATIC STICK TOOLS</b>	
• DS-3219-E	8
• DS-3519-E	8
• DS-3522-E	8
• DS-SW22-E	8
• D31AD-E	9
<b>ROLL STAPLES SUMMARY</b>	10
<b>PNEUMATIC ROLL TOOLS</b>	
• RAB-19-E	11
• RAB-22-E	11
• D62ADC-E	11
<b>BOTTOM SEALING</b>	
<b>MANUAL STICK TOOL</b>	
• FSSW	12
<b>PACKAGING</b>	
<b>TOOL SELECTION</b>	14
<b>PACKAGING PLIERS</b>	
• P6C-6	15
• P6C-8	15
• JB600	15
• P51-5B-E	16
• P51-10B-E	16
• ESD-450S2P	16
<b>HAMMER TACKERS</b>	
• H30-8-E	17
• PC2K	17
• BHT150C	17
<b>SQUEEZE TACKERS</b>	
• T6 SERIES	17
<b>FASTENERS RANGE SUMMARY</b>	18-19



## CARTON CLOSING STAPLERS

### GETTING THE RIGHT TOOL AND FASTENER

**BOSTITCH®** carton closing tools are designed to offer dependable performance in light, medium or high volume packaging environments.

There are a wide range of tool and fastener options for sealing cartons from the top as well as a foot-operated stapler, specially designed to seal the bottom of cartons.

If you aren't sure which tool best suits your needs, follow the selection process opposite.

#### TOOL FEATURE OPTIONS



**Powered by lithium-ion batteries** with state of charge indicator



**Quick staple length change** for working on different cartons



**Manual tool** so no air supply required & highly portable



**Profiled grip** for more comfortable use



**Pneumatic tool** reduces fatigue in busy packing environments



**Comfortable hand pad** to easily keep the tool in position



**Smooth base plate** for faster stapling



**Mounting point** for wire support, reducing user fatigue



**Rear exhaust** directs air away from the operator



**Mounting lug** for suspending larger tools






# CARTON CLOSING STAPLERS


To help choose the right tool and fastener combination to satisfy your requirements, follow the selection process below:

## 1. WHAT VOLUMES DO YOU DO AND HOW PORTABLE DOES THE TOOL NEED TO BE?



## 2. CHOOSE THE STAPLE FORMAT BEST


Stick or Roll format staples?




**STICK** format staples are collated into sticks and tools can be loaded with up to two sticks at a time. Suitable for low and medium volumes.

**ROLL** format staples are collated rolls of up to 5000, therefore containing many times more staples per roll than is found on a **STICK**. Tools using **ROLL** format staples will need fewer reloads, making these more appropriate for continuous production line carton closing. However, tools using **ROLL** staples tend to be heavier when loaded - it is advisable to specify these tools with suspension wires to minimise operator fatigue.


## 3. WHAT BOARD THICKNESS IS THE CARTON?



Single Wall



Double Wall




Triple Wall

## 4. CHOOSE THE RIGHT STAPLE FOR THE TASK

### Staple Types

There are 3 important measurements on a carton closing staple - these are the **Crown**, **Leg** and **Wire** dimension.


For added convenience, **BOSTITCH®** carton closing staples are also divided into families and are represented by a symbol to make identification easy.




It is important to note that the holding power of a clinched staple is dependent on all these measurements, so as well as knowing the thickness of your carton, you also need to decide how much holding power you need - the wider the crown and the thicker wire, the more secure the fastening will be.

### Clinch Types

In most top sealing applications, a **standard** clinch is required (where the staple passes through both materials and is clinched at the surface). However, in some instances a **blind** clinch is preferred. In a blind clinch, a shorter staple is used and is clinched before it fully penetrates the second layer of the carton board.






Standard Clinch



Blind Clinch

# CARTON CLOSING - TOP SEALING STICK STAPLES

## TOOL TO FASTENER SIZE GUIDE

Series		A						C	SW7432	SW5030	SW5060
POWER TYPE		CORDLESS		MANUAL		PNEUMATIC		MANUAL	PNEUMATIC		
TOOL		DSA-3519-U	DSA-3522-U	MS-3519-E	MS-3522-E	DS-3519-E	DS-3522-E	MS-3219-E	DS-3219-E	DS-SW22-E	D31AD-E
Board Type / Staple Length		15-19mm	-	15-19mm	-	15-19mm	-	15-19mm	15-19mm	-	-
	Single Wall										
		19mm	18-22mm	19mm	19-22mm	19mm	19-22mm	19mm	19mm	19-22mm	-
	Double Wall										
	-	-	-	-	-	-	-	-	-	-	25-38mm*
	Triple Wall										

\*Comes pre-fitted with clinchers for 38mm staples. Please ask for details.

## NOISE & VIBRATION DATA

Noise (dB)	$L_{PA} / K_{PA}$	77 / 3	77 / 3	-	-	-	-	-	-	-	-
	$L_{WA} / K_{WA}$	89 / 3	89 / 3	-	-	-	-	-	-	-	-
	LPA 1sd	-	-	-	-	89 / 4	89 / 4	-	89 / 4	82 / 4	95 / 4
	LWA 1sd	-	-	-	-	93 / 4	93 / 4	-	93 / 4	88 / 4	104 / 4
	LPA 1s,1m	-	-	-	-	80 / 4	80 / 4	-	80 / 4	75 / 4	91 / 4
Vibration m/s <sup>2</sup>		<2.5	<2.5	-	-	<2.5	<2.5	-	<2.5	<2.5	<2.5



DSA SERIES CORDLESS TOP SEALER  
FOR CARTON STAPLING. ANYWHERE.

CORDELESS

NEW

The battery powered DSA-3519-U and DSA-3522-U gives users true portability and includes a range of features to deliver superb performance in any location.

The tool comes in a tough, durable housing and is complete with 2 Lithium-ion batteries with LED state of charge indicators and 30% higher capacity than the previous model, so you can drive up to 1000 staples per charge, whether you work on a packaging line or out on the road.

Both tool types are also available as bare units which are supplied without batteries (DSA-3519-N and DSA-3522-N).



FOR  
MANUFACTURING



FOR  
DISTRIBUTION



FOR REMOTE  
LOCATIONS



Tool Features



Model	Staple Type	BOARD TYPE		
		Single wall	Double wall	Triple wall
DSA-3519-U / N	A	✓	✓	-
DSA-3522-U / N		-	✓	-





## CARTON CLOSING - TOP SEALING STICK STAPLES

### MS SERIES MANUAL TOP SEALER

Fitted with a comfortable to use top grip and made from rugged aluminium, these manually operated tools are ideal for lower volumes of top sealing for single and double wall cartons.



#### Tool Features



Model	Staple Type	BOARD TYPE		
		Single wall	Double wall	Triple wall
MS-3219-E	C	✓	✓	-
MS-3519-E	A	✓	✓	-
MS-3522-E		-	✓	-

### DS SERIES PNEUMATIC TOP SEALER

Built for larger volumes, these tools are pneumatically operated, providing a consistent clinch with minimal effort.

Ideal for despatch lines, they provide consistent top sealing time after time.



#### Tool Features



AIRTOOLS™




Model	Staple Type	BOARD TYPE		
		Single wall	Double wall	Triple wall
DS-3219-E	C	✓	✓	-
DS-3519-E	A	✓	✓	-
DS-3522-E		-	✓	-
DS-SW22-E	SW9040	-	✓	-
	SW7A37			

D31AD-E  
PNEUMATIC HEAVY  
DUTY TOP SEALER

The pneumatically driven **D31AD-E** is the largest tool in our top sealing range.

It is extremely powerful and makes light work of clinching triple wall cartons or materials with a combined thickness of up to 22mm.



Tool Features









Model	Staple Type	BOARD TYPE		
		Single wall	Double wall	Triple wall
D31AD-E	SW9060	-	-	✓



# CARTON CLOSING - TOP SEALING ROLL STAPLES

## ROLL FORMAT TOOLS

Staple Family				
Tool		D62ADC-E	RAB-19-E	RAB-22-E
Board Type / Staple Length	 Single Wall	15-19mm	15-19mm	-
	 Triple Wall	19mm	19mm	19-22mm

## NOISE & VIBRATION DATA

Noise (dB)	LPA 1sd	89 / 4	89 / 4	89 / 4
	LWA 1sd	93 / 4	93 / 4	93 / 4
	LPA 1s,1m	80 / 4	80 / 4	80 / 4
Vibration m/s <sup>2</sup>		<2.5	<2.5	<2.5





## RAB SERIES PNEUMATIC TOP SEALER

Ideal for busy production environments, both the **RAB Series** and the **D62ADC-E** pneumatic tools use staples collated on rolls for minimal reloading and also feature comfortable hand pads and mounting lugs. They're the popular choice of operators working on busy packing lines.



AIRTOOLS™

### Tool Features



Model	Staple Type	BOARD TYPE		
		Single wall	Double wall	Triple wall
RAB-19-E	AR	✓	✓	-
RAB-22-E		-	✓	-

## D62ADC-E PNEUMATIC TOP SEALER

Built for larger volumes and heavy applications where a wider wire gauge is needed, these tools are the largest 'roll' tools in the range.



AIRTOOLS™

### Tool Features



Model	Staple Type	BOARD TYPE		
		Single wall	Double wall	Triple wall
D62ADC-E	5WC7437	✓	✓	-

### FSSW FOOT BOTTFMER

#### Fast, efficient bottom sealing

Designed for stapling the bottom of cartons by using a fixed anvil post, these foot-operated tools are a vital part of a productive packing line. They can be used to seal the bottom of single or double-walled cartons quickly and easily.



#### Tool Features



Model	Staple Type	BOARD TYPE		
		Single wall	Double wall	Triple wall
FSSW	SW7A37	✓	✓	-
	SW904U			





**WORLD CLASS TECHNOLOGY  
& EXPERTISE IN CARTON  
CLOSING AND PACKAGING**



## PACKAGING - PLIERS


### A solution for every situation

As well as carton closing, the **BOSTITCH®** range includes tools and fasteners designed for both general and specialised packaging applications, including sealing header cards, postal tubes, bags and wrapping.

Based on volumes and application, the range includes both pneumatic and manual tools to meet the needs of all sizes of packaging environments.

Using the chart opposite, decide on the likely use and select from a manual or pneumatic plier.

**Remember!** The wider the crown and the thicker wire, the more secure the fastening will be.



Staple Family		10mm Crown 0.6 mm x 0.5mm	10mm Crown 1.3 mm x 0.5 mm	12.7mm Crown 0.48mm x 1.3mm	12.7mm Crown 0.51mm x 2.61mm
STAPLE LENGTH	P6C-6	6-10mm	-	-	-
	P6C-8	-	6-10mm	-	-
	JB600	-	6-10mm	-	-
	P51-5B-E	-	-	10-15mm	-
	P51-10B-E	-	-	-	10-15mm

### PLIER TOOL SUMMARY

Each plier type has features applicable to certain applications and packaging environments:



#### P6C-6 and P6C-8

Basic stapling pliers, ideal for small, light duty applications.



#### JB600

Pneumatic plier designed for light duty, medium volume environments.



#### P51-Series

Pneumatic pliers for higher volume carton sides, lids and heavier duty applications.




NOISE & VIBRATION		P51-5B-E	P51-10B-E
Noise (dB)	LPA 1sd	86 / 4	86 / 4
	LWA 1sd	94 / 4	94 / 4
	LPA 1s,1m	81 / 4	81 / 4
Vibration m/s <sup>2</sup>		<2.5	<2.5

### HIGH POWER STAPLING.

**POWER CROWN™**

The unique shape of **BOSTITCH® PowerCrown™** staples gives you more penetration with less effort.

Available in a wide range of lengths they are ideally suited to fastening paper, card and light plastics such as end caps, carded and uncarded bag tops, trays and small boxes.



P6C Series  
PLIER

P6C-6 and P6C-8

Lightweight squeeze tacker with easy, top loading magazine.

Ideal for:

- Small carton lids
- Polythene bag sealing
- Card topped bags
- Card/ padded envelopes
- General stapling



Tool Features



Model	Staple Type
P6C-6 (6-10mm)	STCR 2619
P6C-8 (6-10mm)	STCR 5019

JB600  
PNEUMATIC PLIER

Pneumatic squeeze tacker designed for repetitive fastening.

Top loading magazine for easy loading of PowerCrown staples.

Ideal for:

- Endcaps for tubes and packs
- Small carton lids
- Polythene bag sealing
- Card topped bags



Tool Features




Model	Staple Type
JB600 (6-10mm)	STCR 5019

### P51-Series PNEUMATIC PLIER

#### P51-10B-E and P51-5B-E

The versatile P51 Series pliers are compact and lightweight pneumatic pliers. The deep jaw depth of 150mm means that they can be used across a wide variety of applications, from carton lids and trays through to sealing end caps for postal and storage tubes.

The P51 series pliers can also be fitted with an optional C-blade attachment for side access in to box lids.



C Blade



AIRTOOLS™

#### Tool Features



Model	Staple Type
P51-5B-E (10-15mm)	SB5019
P51-10B-E (10-15mm)	SB103020





## H30-8-E, PC2K & BHT150C HAMMER TACKERS

### Rugged & dependable

**BOSTITCH®** tackers are built with the same care and attention to detail as our heavy duty tools and are designed for versatile tacking in production environments.

Ideal for a whole range of packaging applications, these tools are the perfect workhorses for despatch bays and production lines alike.

#### Tool Features



Model	Staple Type
H30-8-E (6-10 mm)	
PC2K (6-12 mm)	
BHT150C (6-14 mm)	

#### H30-8-E



The **H30-8-E** is ideal for dispatch labels and general tacking.

#### PC2K



Perfectly balanced with an ergonomic design, the **PC2K** makes light work of slam tacking jobs. Ideal for case lining and insulation.

#### BHT150C




Heavy duty hammer tacker that drives standard staples from 6-14mm. Includes full-rubber grip to absorb shock and protect hand.

## T6 Series SQUEEZE TACKERS

### PC8000/T6 & PC8000/T6-KIT

The PC8000/T6 series is precision engineered with an easy-grip handle, steel nose plate and rugged construction to make this tool powerful yet simple to use.

Designed with an anti jam magazine for easy maintenance, it is robust enough to withstand the rigours of a production environment.



#### Tool Features



Model	Staple Type	Staple Size				
		6mm	8mm	10mm	12mm	14mm
PC8000/T6		✓	✓	✓	✓	✓
PC8000/T6-KIT		✓	✓	✓	✓	✓






## FASTENER RANGE & COMPATIBILITY

### The right tool & fastener for the job

To help select the right staple for your needs, these staples (below) are shown at **actual size** - allowing you to compare materials or staples as a guide to selection.


**i** To view the complete range of **carton closing & packaging staples**, please visit [www.bostitch.co.uk](http://www.bostitch.co.uk).

### CARTON CLOSING STAPLES (FOR TOOLS ON PAGES 6-12)



STAPLE FAMILY	CROWN WIDTH	LENGTH	SKU	FINISH	DESCRIPTION	QTY PER BOX
C	32	15	1301500Z	LIQUOR	C/32 CARTON STAPLES 15MM LIQUOR 2M	2000
C	32	18	1301800Z	LIQUOR	C/32 CARTON STAPLES 18MM LIQUOR 2M	2000
SW9060	32	38	SW90601-1/2	LIQUOR	SW9060 CARTON STAPLES 38MM 4M	4000
A	35	15	1331500Z	LIQUOR	A/35 CARTON STAPLES 15MM LIQUOR 2M	2000
A	35	18	1331800Z	LIQUOR	A/35 CARTON STAPLES 18MM LIQUOR 2M	2000
A	35	19	1351900Z	LIQUOR	MONO A/35 CARTON STAPLES 19 MM 2M	2000
A	35	22	1332200Z	LIQUOR	A/35 CARTON STAPLES 22MM LIQUOR 2M	2000
SW7437	35	15	SW743715Z	LIQUOR	SW7437 CARTON STAPLES 15MM LIQUOR 2.4M	2400
SW7437	35	19	SW743719Z	LIQUOR	SW7437 CARTON STAPLES 19MM LIQUOR 2.4M	2400
SW7437	35	22	SW743722Z	LIQUOR	SW7437 CARTON STAPLES 22MM LIQUOR 2.4M	2400
SW9040	35	19	SW904019Z	LIQUOR	SW9040 CARTON STAPLES 19MM LIQUOR 2M	2000
SW9040	35	22	SW904022Z	LIQUOR	SW9040 CARTON STAPLES 22MM LIQUOR 2M	2000

## PACKAGING STAPLES (FOR TOOLS ON PAGES 14-17)



STAPLE FAMILY	CROWN WIDTH	LENGTH	SKU	FINISH	DESCRIPTION	QTY PER BOX
SB5019	12.7	10	SB501910Z	GALV	SB5019 STAPLE 10MM GALV 8M	8000
SB5019	12.7	15	SB501915Z	GALV	SB5019 STAPLE 15MM GALV 4M	4000
SB103020	12.7	10	SB10302010Z	GALV	SB103020 STAPLE 10MM GALV 2.9M	2900
SB103020	12.7	12	SB10302012Z	GALV	SB103020 STAPLE 12MM GALV 2.1M	2100
SB103020	12.7	15	SB10302015Z	GALV	SB103020 STAPLE 15MM GALV 2.5M	2500
STCR2619	10	6	STCR26191/4	GALV	STCR2619 STAPLE 1/4-6MM GALV 5M	5000
STCR2619	10	8	STCR26195/16	GALV	STCR2619 STAPLE 9/16-8MM GALV 5M	5000
STCR2619	10	10	STCR26193/8	GALV	STCR2619 STAPLE 3/8-10MM GALV 5M	5000
STCR2619	10	12	STCR26191/2	GALV	STCR2619 STAPLE 1/2-12MM GALV 5M	5000
STCR5019	10	6	STCR501906AL	ALU	STCR5019 STAPLE 6MM ALU 5M	5000
STCR5019	10	6	STCR501906Z	GALV	STCR5019 STAPLE 6MM GALV 5M	5000
STCR5019	10	6	STCR50191/4-1M	GALV	STCR5019 STAPLE 1/4-06MM GALV 1M	1000
STCR5019	10	8	STCR501908Z	GALV	STCR5019 STAPLE 8MM GALV 5M	5000
STCR5019	10	10	STCR501910Z	GALV	STCR5019 STAPLE 10MM GALV 5M	5000
STCR5019	10	10	STCR50193/8-1M	GALV	STCR5019 STAPLE 3/8-10MM GALV 1M	1000
STCR5019	10	12	STCR50191/2-1M	GALV	STCR5019 STAPLE 1/2-12MM GALV 1M	1000
STCR5019	10	12	STCR501912Z	GALV	STCR5019 STAPLE 12MM GALV 5M	5000
STCR5019	10	14	STCR501914Z	GALV	STCR5019 STAPLE 14MM GALV 5M	5000
BTA	10.7	6	BTA704-5C	GALV	BTA STAPLE 6MM GALV 5M FITS: BHT, PHT, TR60-100	5000
BTA	10.7	8	BTA705-5C	GALV	BTA STAPLE 8MM GALV 5M FITS: BHT, PHT, TR60-100	5000
BTA	10.7	10	BTA706-5C	GALV	BTA STAPLE 10MM GALV 5M FITS: BHT, PHT, TR60-100	5000





**AT****BOSTITCH Österreich**

Stanley Black & Decker Austria GmbH  
 Oberlaaer Strasse 248, 1230 Wien  
 ÖSTERREICH  
 T: +43 1 66 11 6 0  
[bostitch.de@sbdinc.com](mailto:bostitch.de@sbdinc.com)  
[www.bostitch.at](http://www.bostitch.at)

**BE NL****BOSTITCH Benelux**

Stanley Black & Decker Belgium BVBA  
 p/a Egide Walschaertsstraat 16  
 2800 Mechelen  
 BELGIË  
 Tel: +32 15 47 38 00  
[bostitch.benelux@sbdinc.com](mailto:bostitch.benelux@sbdinc.com)  
[www.stanley-bostitch.be](http://www.stanley-bostitch.be)  
[www.stanley-bostitch.nl](http://www.stanley-bostitch.nl)

**CH****BOSTITCH Schweiz**

Stanley Works (Europe) GmbH  
 Sitz: Dübendorf  
 In der Luberzen 42, 8902 Urdorf  
 SCHWEIZ  
 Tel: +41 (0)44 755 60 70  
[www.bostitch.ch](http://www.bostitch.ch)

**CZ SK****Stanley Black & Decker Czech Republic s.r.o.**

Türkova 5b, 149 00 Praha 4 - Chodov  
 ČESKÁ REPUBLIKA  
 Tel. +420 602 745440  
[petr.popovsky@sbdinc.com](mailto:petr.popovsky@sbdinc.com)  
[www.bostitch.cz](http://www.bostitch.cz)

**DE****BOSTITCH Deutschland**

Stanley Black & Decker Deutschland GmbH  
 Black-&-Decker Str. 40  
 65510 Idstein  
 DEUTSCHLAND  
 Tel: +49 (0) 6126 21-2985  
[bostitch.de@sbdinc.com](mailto:bostitch.de@sbdinc.com)  
[www.stanley-bostitch.de](http://www.stanley-bostitch.de)

**ES PT****Stanley Black & Decker Ibérica SLU**

Parque de Negocios "Mas Blau"  
 Edificio Muntadas  
 C/ Bergueda n. 1 Of. A6  
 08820 El Prat de Llobregat  
 Barcelona,  
 ESPAÑA  
 Tel: +34 93 217 65 02  
[iberia.bostitch@sbdinc.com](mailto:iberia.bostitch@sbdinc.com)  
[www.bostitch.es](http://www.bostitch.es)

**FR****BOSTITCH France**

Stanley Black & Decker France SAS  
 62 chemin de la Bruyère  
 69574 Dardilly  
 FRANCE  
 Tél. : +33 4 72 20 39 20  
[adv-bostitch@sbdinc.com](mailto:adv-bostitch@sbdinc.com)  
[www.bostitch.fr](http://www.bostitch.fr)

**GB****BOSTITCH UK**

270 Bath Road  
 Slough  
 SL1 4DX  
 United Kingdom  
 Tel: +44 (0)870 1 630 630  
[bostitchuksales@sbdinc.com](mailto:bostitchuksales@sbdinc.com)  
[www.bostitch.eu](http://www.bostitch.eu)

**IT****BOSTITCH Italia**


**STANLEYBLACK&DECKER ITALIA SRL**  
 Via Energy Park, 6 – 20871 VIMERCATE (MB)  
 ITALIA  
 Tel. 039 9590.200  
[servizioclientibostitch@sbdinc.com](mailto:servizioclientibostitch@sbdinc.com)  
[www.bostitch.it](http://www.bostitch.it)

**NO DK SE****BOSTITCH Sweden**

Box 94  
 431 22 Mölndal  
[kundservice.se@sbdinc.com](mailto:kundservice.se@sbdinc.com)

**PL****Stanley Black & Decker Polska Sp. z o.o.**

Ul. Prosta 68  
 00-838 Warszawa  
 POLSKA  
 Tel.: +48 22 464 2735  
[sales.bostitch@sbdinc.com](mailto:sales.bostitch@sbdinc.com)  
[www.bostitch.pl](http://www.bostitch.pl)



Authorised distributor

**LIMITED WARRANTY**

BOSTITCH is confident of the quality of its products and offers a guarantee for professional users of the product. This guarantee statement is in addition to and in no way prejudices your contractual rights as a professional user or your statutory rights as a private non-professional user. The guarantee is valid within the territories of the Member States of the European Union and the European Free Trade Area.

If your BOSTITCH product becomes defective due to faulty

materials or workmanship within 12 months from the date of purchase, BOSTITCH guarantees to replace all defective parts free of charge or – at our discretion – replace the unit free of charge provided that:

- The product has not been misused
- The product has been subject to fair wear and tear; Driver blades, bumpers, and O rings are considered normally wearing parts and are excluded
- Repairs have not been attempted by unauthorised persons

- Proof of purchase is produced
- The product is returned complete with all original components
- The product is returned at your expense together with proof of purchase to our regional repair centre, or an authorised warranty centre.


If you wish to make a claim, contact your seller or check the location of your nearest authorised BOSTITCH repair agent in the BOSTITCH catalogue or contact your BOSTITCH office at the address indicated in this manual.

All tool data shown is for comparative purposes only. Full Health & Safety technical data is available on request. Features and specifications subject to modification without notice.

**www.bostitch.co.uk**

09/2020

# BOSTITCH®



Upholstery | Furniture Framing  
**Tools & Fasteners**

## BOSTITCH - understanding your industry from the inside...

Since 1895, BOSTITCH has been designing and manufacturing tools and fasteners for a wide variety of applications and industries.

With over 500 million fasteners made every day, **BOSTITCH** is one of the largest manufacturers of nailing & stapling tools and fasteners in the world.

This brochure represents our bespoke range of professional fixings solutions for the furniture, bedding and upholstery businesses, and reflects our continued innovation resulting in many developments for familiar tools.

To make sure our tools match our reputation, we go to extremes to ensure that every tool bearing our name is more than capable of providing years of safe, reliable and trouble free service.

### The reassurance of global leadership

**BOSTITCH** is part of the **Stanley Black & Decker** organisation, the global leader in tool manufacture across a wide range of industries.

No company on earth has a stronger or more compelling history of delivering the hardworking, innovative, powerful tools that help professionals around the world keep working.

- **\$11 billion value on worldwide markets**
- **Global recognition with an outstanding portfolio of global brands**
- **Recognised as among the top 10 global innovators**
- **No.1 for worldwide tool manufacture with outstanding quality control**

### Committed to Standards & Safety

Your workforce is your most valuable resource, so as well as developing ergonomically designed tools that are comfortable to use, we aim for the highest safety standards.



All our tools are fully compliant with stringent European health & safety regulations and we offer comprehensive health & safety training courses, so that you know your staff are using the tools safely.

**To find out how your business can benefit from BOSTITCH expertise, call our sales team or visit the website, [www.bostitch.co.uk](http://www.bostitch.co.uk).**





# CONTENTS

## Bed Frames

Medium & Heavy Duty Stapling/  
Coil Nailing/ Corner Jointing

**4-9**



## Sofa Frames

Medium & Heavy Duty  
Stapling/ Coil Nailing/  
Corner Jointing

**4-9**



## Mattress Assembly


**10-11**



## Padding & Covering

Pliers

**12-13**



## Upholstery

Upholstery Staplers

**14-17**



## Automated Solutions

Bespoke Machines  
Seat rails

**18-19**



## BED & SOFA FRAMES

### BOSTITCH- for Bed & Sofa Frame Construction

Our comprehensive framing range covers everything you need. With tools that drive staples from 12 to 64mm length as well as corrugated fasteners and coil nails, our products represent the best you can buy.

With a choice of magazine capacities, fastener types and driving power, you can tailor your tools and fasteners to your business.





# BED & SOFA FRAMES





## The versatile range for dependable framing

Our tool and fastener range covers all types of furniture frames for chairs, beds, sofas and suites. With so many options to choose from, we're confident that we can supply your needs, whatever the application.

Beginning with your choice of staple, simply select the corresponding tools to make your selection. Individual tools

incorporate many production specific and operator friendly features, giving you a range of options perfectly suited to your workforce and manufacturing environment.

If you can't find what you're looking for, please contact us. As a global company, we have resources to accommodate unusual requirements.

Fastener Family	SX Series	SL Series	S5/100 Series	S4/16NC Series
				
Compatible Tools	SB156SX-1	SB156SL-1	538S5-1	538S4-1
			650S5-1	650S4-1
			651S5	-
			750S5-1	750S4-1
			765S5-1E	765S4-1E

### Tool Noise & Vibration Data

Tool	Noise			Vibration / Uncertainty m/s <sup>2</sup>
	LPA 1sd	LWA 1sd	LPA 1s,1m	
SB156SL-1 / SB156SX-1	72.1	80.4	67.4	3.77 / 1.89
538S4-1 / 538S5-1	92.9	97.6	84.6	2.50 / 1.25
650S4-1 / 650S5-1	76.3	82.7	69.7	3.22 / 1.61
651S5	93.6	100.2	93.6	2.63 / 1.32
765S4-1E / 765S5-1E	84.1	93.4	80.4	2.80 / 1.40
CF15-1-E	93.6	99.6	86.6	4.29 / 2.15







# BED & SOFA FRAMES

## Medium Duty Staplers SB156SX-1 / SB156SL-1

This lightweight medium duty stapler is designed for frame and trim applications. Uses SL / 92 and SX / 90 series staples up to 40mm length. Bottom access magazine for convenient reloading.

SX/ 90 Series	SL/ 92 Series
 <p>5.9mm</p> <p>12-40mm</p>	 <p>8.6mm</p> <p>12-40mm</p>





### Tool Features

- AI** Aluminium housing- durable and lightweight for all day use
- DIAL-A** Dial-A-Depth- for easy depth of drive adjustments
- CT** Contact trip trigger- for safer operation
- Bottom loading stapler**- for quick reloading
- 360°** Adjustable exhaust- for comfort and safety
- Easy view magazine**- for convenient reloading

## Heavy Duty Staplers 538S5-1 / 538S4-1

Features an adjustable power control for variable fastener penetration. Rear exhaust for comfort. Two models available for S4/16NC and S5/100 staples.

S5/100 Series	S4/16NC Series
 <p>11mm</p> <p>19-40mm</p>	 <p>12.5mm</p> <p>19-40mm</p>





### Tool Features

- Compact nose design**- for accurate placement
- DIAL-A** Dial-A-Depth- for easy depth of drive adjustments
- Anti slip bumpers**- helps prevent damage
- Adjustable power control**- ensures controlled fastener penetration
- CT** Contact trip trigger- for safer operation
- ANTI-JAM** Anti-jam nose- for smoother workflow

# BED & SOFA FRAMES

## Heavy Duty Staplers 650S5-1/ 650S4-1

Features Dial-a-Depth power control for variable fastener penetration and 360° exhaust for a cleaner working environment. Two models available for S4/16NC and S5/100 staples.

S5/100 Series	S4/16NC Series
 <p>11mm</p> <p>25-50mm</p>	 <p>12.5mm</p> <p>25-50mm</p>



2.0kg



### Tool Features



**Aluminium housing**- durable and lightweight for all day use



**Dial-A-Depth**- for easy depth of drive adjustments



**Adjustable exhaust**- for comfort and safety



**Contact trip trigger**- for safer operation




**Anti-jam magazine**- for faster throughput



**Anti slip bumpers**- helps prevent damage

## Heavy Duty Stapler 651S5

Featuring a selectable trigger system and depth adjustment for maximum flexibility and control, the 651S5 provides high-end driving power from 25-50mm.

S5/100 Series
 <p>11mm</p> <p>25-50mm</p>



1.9kg



### Tool Features



**Aluminium housing**- durable and lightweight for all day use



**Dial-A-Depth**- for easy depth of drive adjustments



**Utility hook**- for convenient tool storage



**Selectable trigger system**- switches between sequential and contact trip instantly





**Rubber comfort grip**- comfortable to use



# BED & SOFA FRAMES

## Heavy Duty Stapler 765S5-1E / 765S4-1E

These tools have a rugged industrial design and increased power, making them capable of driving lengths up to 64mm for both S5/100 (765S5-1E) and S4/16NC (765S4-1E) staples.

S5/100 Series	S4/16NC Series
 <p>11mm</p> <p>38-64mm</p>	 <p>12.5mm</p> <p>38-64mm</p>



### Tool Features



**Aluminium housing**- durable and lightweight for all day use



**Contact trip trigger**- for safer operation



**Compact nose design**- for easy placement



**Rubber comfort grip**- comfortable to use






# BED & SOFA FRAMES

## Corner Jointing Tool CF15-1-E

Lateral grip from the corrugated fastener is ideal for the bracing of frame joints or mitres. The fastener can be used to repair or reinforce splits along the grain.

### Corrugated Fasteners



2.7kg

### Tool Features



**Push Button Magazine Adjustment-**  
for easy fastener changes



**Contact trip trigger-**  
for safer operation



**Magnesium body-**  
lightweight and durable



**Anti slip bumpers-**  
helps prevent damage



**Adjustable exhaust-**  
for comfort and safety



# MATTRESS ASSEMBLY Border Wires & Clinching

## Border Wires & Pocket Spring Assembly

The **BOSTITCH** range of ringers and fasteners provide a flexible approach to new materials and methods in mattress construction.

From budget construction through to pocket sprung and flat border wire fastening, our tools are comfortable, durable and hard working. C or D ring formats offer a choice of closure profiles to suit your preference. For dependable clinching and reliable service, you can't beat **BOSTITCH**.

Our tools enable maximum productivity from your workforce and our fastener give the best performance for your applications.

### Ring Formats & Applications

#### D-Ring

Round border wire to spring



#### C-Ring

Round border wire to pocket spring



#### C-Ring

Flat border wire to pocket spring



### Tool Noise & Vibration Data


Tool	Noise			Vibration m/s <sup>2</sup>
	LPA 1sd	LWA 1sd	LPA 1s,1m	
SC761 / SC743 SC7C / SC7E	86.38	91.47	78.47	<2.5
TR201 / TR203	81.62	88.14	75.14	<2.5



# MATTRESS ASSEMBLY Border Wires & Clinching

## C Ring D Ring

Fastener & Tool sizing



**To select the right tool for your application:**

1. Measure the total distance across the wires when put together- making an allowance for either 'tight' or 'loose' finished clinch.
2. From the table below, find the ring with a minimum or maximum closure closest to your need.
3. Select whether you require blunt (B suffix) or sharp (P suffix) rings.

TOOL	SC761	SC743	SC7C	SC7E	TR201, TR203
<b>Tool Weight</b> 	2.9kg	2.8kg	2.9kg	2.9kg	1.4 / 1.6 / 1.6kg
<b>Ring Open Size</b> 	12.5mm 	19mm 	19mm 	19mm 	19mm 
<b>Ring Closure Size Min.</b> 	5.6mm 	8.7mm 	8.7mm 	10.7mm 	9.5mm 
<b>Ring Closure Size Max.</b> 	4.8mm 	4.8mm 	4.8mm 	7.9mm 	6.3mm 
<b>Rings Part No.</b>	RING 516	RING 16	RING 15	RING 15	RING SR15



## C Ringers SC7 Series

The SC7 series C ringers are the choice for mattress, cage and other wire to wire applications. Complete with air spring return, they're fast and easy to use. Trigger fire provides the ultimate in operator control.

### Tool Features



**Aluminium housing-** durable and lightweight for all day use



**Air return mechanism**



**Trigger Fire**



## D Ringers TR Series

Aluminium bodied D ringer with a choice of spring or air return for fast and efficient fastening.

### Tool Features



**Aluminium housing-** durable and lightweight for all day use



**Spring return mechanism**  
TR201 and TR203 Models






## PADDING & COVERING

### Pliers

Felt, foam or padding, a secure fixing is essential to the integrity of a Mattress or Sprung Base.

Ergonomic design coupled with a range of jaw options make Bostitch Stapling Pliers key to efficient manufacture. Featuring a lightweight aluminium bodies and balanced design, our pliers are comfortable to use all day long.


Two models are available with a choice of 0.5x1.2mm (P88SJ-E) or 0.6x1.6mm (P110SJ-E) wire diameters.



# PADDING & COVERING


## 88 Series Bedding Plier

**P88SJ-E**



## 110 Series Bedding Plier

**P110SJ-E**




### Tool Noise & Vibration Data

Tool	Noise			Vibration / Uncertainty m/s <sup>2</sup>
	LPA 1sd	LWA 1sd	LPA 1s,1m	
P88SJ-E	84.4	90.7	77.7	2.5 / 1.25
P110SJ-E	84.4	90.7	77.7	2.5 / 1.25



### Tool Features

- AI** Aluminium housing-  
durable and lightweight  
for all day use
- TF** Trigger Fire
- SJ** Square Jaw Design








## Dedicated Fasteners & Tools for Upholstery







Through our experience in the upholstery business, we've learned the benchmarks of the Tools & Fasteners the industry demands. Compact design and durability were the starting points in developing our range of lightweight and clean tools. Proven technology and state of the art materials and manufacture are built into every **BOSTITCH** upholstery stapler. We know that downtime is lost revenue, that's why we don't change what works, we improve upon it.

### Tool Selection by special feature

EXTENDED NOSE	EXTENDED MAGAZINE	AUTOFIRE TRIP
		
21671B-LN-E	21680B-ALM-E	21671B-A-E
21680B-LN-E	-	21680B-A-E
-	-	21680B-ALM-E

## The versatile range for dependable fastening

To select the tool model best suited to your application, use the chart to the right. Select crown width and check fastener family. Match this with the compatible tools to identify your choice.

Crown Width	4.8mm	9.1mm	12.3mm	12.8mm
Leg Length 4mm to 16mm				
	93 Series Staples	72 Series Staples	84 Series Staples	80 Series Staples
	21697B-E	21671B-E	21684B-E	21680B-E
		21671B-A-E		21680B-A-E
		21671B-LN-E		21680B-LN-E
				21680B-LM-E
				21680B-ALM-E
Compatible Tools				



## Upholstery Staplers 216 Tool Series

The 216 series tools are all new and improved, firm favourites with industry and users alike. Their compact dimensions, robust build quality and feature packed design has been retained and improved with new materials.

The new range encompasses tools driving staples with crown widths from 4.8mm to 12.8mm and leg lengths of 4 to 16mm. A choice of Autofire trip format, Long Magazine and Long Nose designs means you can add real flexibility for your manufacturing process.

### Tool Noise & Vibration Data

Tool	Noise			Vibration / Uncertainty m/s <sup>2</sup>
	LPA 1sd	LWA 1sd	LPA 1s,1m	
21671B-A-E	68.1	74.8	61.8	<2.5
21671B-E	63.9	74.1	61.1	<2.5
21671B-LN-E	67.3	74.9	61.9	<2.5
21680B-E	68.4	75.8	62.8	<2.5
21680B-A-E	68.4	75.8	62.8	<2.5
21680B-ALM-E	68.7	76.1	63.1	<2.5
21680B-LN-E	68.5	75.9	62.9	<2.5
21680B-LN-E	68.6	75	62	<2.5
21684B-E	68.1	75.7	62.7	2.57 / 1.29
21697B-E	67.3	75.6	62.6	<2.5

### Tool Series Features:



# UPHOLSTERY

## Model designation

As well as the standard models, the options for the 216 Series are designated by the model number. The letter **A** within the model number indicates that the tool has an Autofire trip and the inclusion of **LN** indicates that the tool is fitted with a Long Nose. Similarly, if a model number includes **LM** then it comes with a Long Magazine.

## Special Features



### LONG NOSE

Specifically developed for long reach applications. Allows accurate placement of fastener in through deep padding or restricted access applications. Specific tool models including this feature are: **21671B-LN-E** **21680B-LN-E**



### LONG MAGAZINE

Increased capacity for less reloading. Suited to volume production where access is unrestricted. The specific tool model including this feature are: **21680B-LM-E** **21680B-ALM-E**



### AUTOFIRE


Designed for production environments where rapid fastening is key, the Autofire feature delivers effortless stapling at up to 300 staples per minute. Specific tool models including this feature are: **21671B-A-E** **21680B-A-E** **21680B-ALM-E**

Standard Models:

**21697B-E**




**93 Series Staples**



**21671B-E**




**72 Series Staples**



**21684B-E**




**84 Series Staples**



**21680B-E**



**80 Series Staples**




# UPHOLSTERY

Long Nose Models:


## 21671B-LN-E

72 Series Staples



## 21680B-LN-E


80 Series Staples



Long Magazine Models:

## 21680B-LM-E / 21680B-ALM-E


80 Series Staples



Autofire Models:


## 21671B-A-E

72 Series Staples



## 21680B-A-E / 21680B-ALM-E

80 Series Staples





# AUTOMATED SOLUTIONS

Years of experience and expertise in customers' fastening processes means that we can provide effective automated solutions for furniture manufacturers. From components to subassembly construction, our units are tailored to your business and are designed to deliver:

- **The most efficient production processes**
- **Lowest overheads**
- **Precision and control**
- **Safer working environments**

All machines are individually designed following an in-depth briefing with our engineers, to ensure your machine matches your exact requirements. This can include options such as:

- **Adjusting the component sizes**
- **Selecting the number of tools**
- **Altering the nailing pattern**
- **Fitting optional units such as stackers, conveyors, sawing systems etc.**

Whatever you're making, we can provide an automated solution to help.

Bespoke machines designed to improve your production process



## Staying ahead of the competition

Cost efficient production demands a careful balance of workforce and machinery. At **BOSTITCH**, we're hard at work taking the cost out of production, using automated solutions to get the best from your workers and your production environment.



## Flexible manufacture

Increasing diversity of manufacture plus shorter lead times has resulted in the need to be able to make different components quickly and easily, without the need for multiple machine types. With our innovative designers and technicians, we can help you to achieve the manufacturing quality that your business demands.

## Efficient control systems

Machines can be designed with varying levels of access to allow management and/or operatives to change and adjust specifications and speed settings according to your needs.

## Service and support

Our involvement doesn't end with the installation. From the beginning, our our engineers are committed to finding the best solution for your set up. All machines are tested in our manufacturing plant where operators can be trained prior to installation. Following installation, our engineering team can provide full remote diagnostics to identify and modify any running issues to ensure maximum productivity.



### Recognised technology

Machines are made with widely available components for quick and easy servicing and maintenance. These include:

- Touch screens
- Frequency steering components
- Servo steering & motors
- Control components & connections
- Electrical detectors & circuit boards
- Pneumatic fittings & systems

### The complete solution

Tools and fasteners are at the centre of our business, and we know how vital a role they play in any automated solution. We design and manufacture an extensive range of tools including:

- Coil & stick nailers
- Brad and finish nailers
- Light, medium and heavy duty staplers
- Carton closing tools
- Spenax tools



Naturally, we also produce the fasteners to match. This includes a wide range of lengths, shank types and finishes for almost any application, for example:

- 12 micron galv and stainless steel finishes
- Clinch and divergent point staples
- Ring, screw & plain shank nails
- Paper, wire and plastic collation

It's because of this extensive range of both tools and fasteners that our engineers are able to specify the most effective combination for each individual client.

All our pneumatic nailers undergo rigorous test procedures to ensure their durability in service and are built with tried and tested components for ultimate reliability.

This makes them ideally suited for automated systems, capable of delivering fast consistent fastening in the most demanding production environments.





**AT****Bostitch Österreich**

Stanley Black & Decker Austria GmbH  
 Oberlaaer Strasse 248, 1230 Wien  
 ÖSTERREICH  
 T: +43 1 66 11 6 0  
[bostitch.de@sbdinc.com](mailto:bostitch.de@sbdinc.com)  
[www.bostitch.at](http://www.bostitch.at)

**BE****NL****Bostitch Benelux**

Stanley Black & Decker Belgium BVBA  
 p/a Egide Walschaertsstraat nr. 16  
 2800 Mechelen  
 BELGIË  
 Tel: +32 15 47 38 00  
[bostitch.benelux@sbdinc.com](mailto:bostitch.benelux@sbdinc.com)  
[www.stanley-bostitch.be](http://www.stanley-bostitch.be)  
[www.stanley-bostitch.nl](http://www.stanley-bostitch.nl)

**CH****Bostitch Schweiz**

Stanley Works (Europe) GmbH  
 Sitz: Dübendorf  
 In der Luberzen 42, 8902 Urdorf  
 SCHWEIZ  
 Tel: +41 (0)44 755 60 70  
[www.bostitch.ch](http://www.bostitch.ch)

**CZ****SK****Stanley Black & Decker Czech Republic s.r.o.**

Türkova 5b, 149 00 Praha 4 - Chodov  
 ČESKÁ REPUBLIKA  
 Tel. +420 602 745440  
[petr.popovsky@sbdinc.com](mailto:petr.popovsky@sbdinc.com)  
[www.bostitch.cz](http://www.bostitch.cz)

**DE****Bostitch Deutschland**

Stanley Black & Decker Deutschland GmbH  
 Black-&-Decker Str. 40  
 65510 Idstein  
 DEUTSCHLAND  
 Tel: +49 (0) 6126 21-2985  
[bostitch.de@sbdinc.com](mailto:bostitch.de@sbdinc.com)  
[www.stanley-bostitch.de](http://www.stanley-bostitch.de)

**ES****PT****Stanley Black & Decker Ibérica SLU**

Parque de Negocios "Mas Blau"  
 Edificio Muntadas  
 C/ Bergueda n. 1 Of. A6  
 08820 El Prat de Llobregat  
 Barcelona,  
 ESPAÑA  
 Tel: +34 93 217 65 02  
[iberia.bostitch@sbdinc.com](mailto:iberia.bostitch@sbdinc.com)  
[www.bostitch.es](http://www.bostitch.es)

**FR****Bostitch France**

Stanley Black & Decker France SAS  
 20, rue Gustave Eiffel  
 91420 MORANGIS  
 FRANCE  
 Tél. : 01 69 10 80 20  
[adv-bostitch@sbdinc.com](mailto:adv-bostitch@sbdinc.com)  
[www.bostitch.fr](http://www.bostitch.fr)

**GB****Bostitch UK**


210 Bath Road  
 Slough  
 SL1 3YD  
 ENGLAND  
 Tel: +44 (0)870 1 630 630  
[bostitchuksales@sbdinc.com](mailto:bostitchuksales@sbdinc.com)  
[www.bostitch.co.uk](http://www.bostitch.co.uk)

**IT****Stanley Black & Decker Italia S.r.l.**

Via Energy Park 6  
 20871 Vimercate (MB)  
 ITALIA  
 Tel: +39 039 9590.205  
 Fax: +39 039 9590.312  
[bostitchitaly@stanleyworks.com](mailto:bostitchitaly@stanleyworks.com)  
[www.bostitch.it](http://www.bostitch.it)

**PL****Stanley Black & Decker Polska Sp. z o.o.**

Ul. Prosta 68  
 00-838 Warszawa  
 POLSKA  
 Tel.: +48 22 464 2735  
[sales.bostitch@sbdinc.com](mailto:sales.bostitch@sbdinc.com)  
[www.bostitch.pl](http://www.bostitch.pl)



Authorised distributor

**BOSTITCH ONE YEAR LIMITED WARRANTY**

BOSTITCH is confident of the quality of its products and offers a guarantee for professional users of the product. This guarantee statement is in addition to and in no way prejudices your contractual rights as a professional user or your statutory rights as a private non-professional user. The guarantee is valid within the territories of the Member States of the European Union and the European Free Trade Area. If your BOSTITCH product becomes defective due to faulty materials or workmanship within 12 months from the date

of purchase, BOSTITCH guarantees to replace all defective parts free of charge or – at our discretion – replace the unit free of charge provided that:

- The product has not been misused;
- The product has been subject to fair wear and tear; Driver blades, bumpers, and O-rings are considered normally wearing parts and are excluded.
- Repairs have not been attempted by unauthorised persons;

- Proof of purchase is produced.
- The product is returned complete with all original components
- The product is returned at your expense together with proof of purchase to our regional repair centre, or an authorised warranty centre

If you wish to make a claim, contact your seller or check the location of your nearest authorised BOSTITCH repair agent or contact your BOSTITCH office at the address above.

All tool data shown is for comparative purposes only. Full Health & Safety technical data is available on request. Features and specifications subject to modification without notice.

[www.bostitch.co.uk](http://www.bostitch.co.uk)

FT112016/FURN/UK



<sup>®</sup>  
**BOSTITCH**



**COIL NAILERS**  
FOR THE PALLET INDUSTRY

[www.bostitch.co.uk](http://www.bostitch.co.uk)

## COIL NAILING FOR THE PALLET INDUSTRY

### Setting the standards for industrial fastening

**BOSTITCH®** has been designing and manufacturing tools and fasteners for a wide variety of applications and industries since 1896.

Today **BOSTITCH®** remains one of the largest manufacturers of nailing & stapling tools and fasteners in the world.

Our tools and fasteners are born out of a detailed knowledge and understanding of the pallet business. We understand that reliable and dependable tools are essential parts of the industry and that delivering quality and volume on schedule is key to success.

We've built our reputation on solid manufacturing principles, going to extremes to ensure that every tool bearing our name is more than capable of providing years of safe, reliable and trouble free service.

The latest range of professional fixings solutions for pallet manufacture reflect the **BOSTITCH®** culture of continued tool & fastener development keeping your business at peak performance.



### THE IC SERIES RANGE

Developed together with real users, the **BOSTITCH® IC Series** features class-leading durability and safety as well as easy servicing and maintenance.

The range includes the IC90 coil nailers which have been designed from the ground up with new bumpers, a revised driver blade design with **5x the life** of the previous version\* and a simplified assembly to further maximise performance and minimise downtime. That's why you can drive more than **800,000 nails** without the need for maintenance on the tool.





## Coil nailer features

Our coil nailing range is ideal for the rapid nailing of decks, stringers, carcasses and case sides.

All the tools been designed to withstand the rigours of a busy manufacturing environment whilst still including user-friendly features for added safety and comfort.





### TOOL FEATURE OPTIONS

 <b>15°</b>	Collation angle of the nails used	 <b>FB</b>	Steel frame protectors for added protection against damage
 <b>CT</b>	Contact trip trigger for rapid nailing		Twist adjust mechanism fast nail size changes
 <b>ST</b>	Sequential trip trigger for safe operation		Mounting frame for use on counterbalanced rig
 <b>360°</b>	360° adjustable exhaust for comfort and safety		Mounting points for use with wire hangers
 <b>DIAL-A</b>	Dial-A-Depth for easy depth of drive adjustments		Secondary pneumatic safety handle to ensure two-handed use
	Protective guard prevents flying dust and debris		Secondary support handle for easier handling

### FASTENER SPECIFICATION

Each **BOSTITCH®** coil nailer drives nails from a specific fastener family and different nail types are available depending on which nail family you are using as shown below. Please refer to the table on page 4 for tool to fastener family compatibility.

### COIL NAIL TYPE

	Smooth shank	Ring shank	Spiral shank	Marking nail
				
<b>F</b>	✓	✓	✓	
<b>N</b>	✓	✓	✓	
<b>N100P (EPAL)</b>		✓		
<b>N130P</b>	✓	✓	✓	
<b>EPAL</b>				✓

## Keep your business on track

### CUSTOMER SERVICES

Our dedicated Customer Services team is trained to the highest standards and takes pride in keeping our customers informed and supplied with the services and information that they need.

### TECHNICAL SERVICE & REPAIR

Comprehensive technical support is provided for all our tools including on-site service visits and repair. An exhaustive range of spare parts is also available to keep tools working day after day.

### CAPITAL EQUIPMENT

We can help you streamline and enhance your production process with bespoke capital equipment to partly or fully automate your pallet production.

### LOAN TOOL CONTRACTS

Full loan tool contracts with regular maintenance and repair are also available\*, giving our customers peace of mind that they can run their businesses to maximum efficiency. For more information, contact your local sales representative.

## Committed to Health & Safety

### BOSTITCH HEALTH & SAFETY PROGRAMME

DESIGNED TO PROTECT YOUR WORKFORCE








For details - see inside back page

\*Subject to status. Terms & conditions apply.



# COIL NAILERS RANGE OVERVIEW

## TOOL TO FASTENER SIZE GUIDE

Series														
Head Size		4.2-5.6	4.3-5.9	5.2-5.6	5.6-6.5	6.0-7.2	6.5-7.2	7.2	7.2	7.2	6.5-7.2	8.7	7.5-8.2	10.3
TOOL		IC50-1-E	IC60-1-E	N64084-1-E	N64099-1-E	IC70-1-E	N80CB-1ML-E	N89C-1P-E	IC90-1-E	IC90C-1-E	N400C-1-E	IC90P-1-E	N512C-2-E	RN46DW-1EPAL
Diameter (mm)		1.6-2.5	2.0-2.65	2.03-2.5	2.3-2.9	2.5-3.1	2.5-2.9	2.5-3.1	2.5-3.1	2.5-3.1	2.8-3.8	3.3	3.05-3.8	4.2
Length (mm)	130													
	120													
	110													
	100													
	90													
	80													
	70													
	60													
	50													
	40													
	30													
	20													

## NOISE & VIBRATION DATA


Noise (dB)	LPA 1sd	92 / 2.5	92 / 4	87 / 4	87 / 4	90 / 4	89 / 4	91 / 4	88 / 2.5	88 / 2.5	96 / 4	87 / 2.5	97 / 4	93 / 4
	LWA 1sd	96 / 2.5	96 / 4	100 / 4	100 / 4	99 / 4	99 / 4	100 / 4	98 / 2.5	96 / 2.5	97 / 4	97 / 2.5	100 / 4	100 / 4
	LPA 1s,1m	83 / 2.5	83 / 4	87 / 4	96 / 4	86 / 4	86 / 4	87 / 4	85 / 2.5	83 / 2.5	84 / 4	84 / 2.5	87 / 4	88 / 4
Vibration / Uncertainty (m/s <sup>2</sup> )		2.7 / 1.4	2.5 / 1.3	3.8 / 1.9	3.8 / 1.9	3.2 / 1.6	3.3 / 1.6	3.2 / 1.6	2.9 / 0.1	<2.5 / 0.1	5.4 / 2.7	2.9 / 0.1	5.4 / 2.7	2.8 / 1.4



## COIL NAILERS RANGE - IC SERIES

### F IC90-1-E

The IC90-1-E industrial coil nailer delivers class-leading durability and easier servicing thanks to the new bumper and driver design and simplified assembly.




#### Tool Features



**NEW**

### F IC90C-1-E

Combines high reliability and world-class safety, with a secondary handle that must be activated along with the trigger ensuring two-handed use. The tool comes already fitted with suspension cables and a heavy-duty dust and debris guard for the most demanding work environments.



#### Tool Features



**NEW**




## COIL NAILERS RANGE - IC SERIES



### IC90P-1-E

Designed from the ground up to drive N100P (EPAL) nails up to 90mm length, the IC90P-1-E ensures minimal downtime with fast servicing to maximise efficiency.

Also available with secondary pneumatic safety handle for increased safety (**IC90P-C-1-E**).



#### Tool Features




**NEW**



### IC70-1-E

The IC70 is a firm favourite with pallet and fencing manufacturers due to its dependability and power. This new and improved version has been updated for even better performance.



#### Tool Features






## **N IC60-1-E**

Designed for maximum performance with reduced jamming and increased durability of driver blades, bumpers and O-rings. Ideal for decks, skis, pallets and case sides.

Also available with secondary pneumatic safety handle for increased safety (**IC60C-1-E**).




### Tool Features



## **N IC50-1-E**

Lightweight and compact tool designed for shorter nails. Ideal for smaller cases and lighter duty pallets. Includes Dial-a-Depth for precise adjustments of the depth of drive.




### Tool Features



## COIL NAILERS RANGE

### **N130P N512C-2-E**

The largest coil nailer in the range designed for driving coil nails up to 130mm length. Includes secondary support handle and hanging ports for added usability and reduced operator fatigue.




#### Tool Features



### **F N400C-1-E**

The N400C offers the ultimate driving power for hardwood pallets. Includes secondary support handle and hanging ports for suspended mounting.




#### Tool Features



### **F N89C-1P-E**

With 15% more power than the previous model, this tool offers a real alternative to heavier and larger tools. Despite its compact design, it can still drive up to 90mm length ring shank fasteners.




#### Tool Features



## **F N80CB-1ML-E**

Fitted with a dust and debris guard, fully adjustable exhaust and mounting port for added operator comfort when used for long periods.




### Tool Features



## **F N64099-1-E**

This tool is ideally suited to most softwood pallet applications and is also lightweight due to its aluminium body. Includes tough top and bottom frame guards for added protection against damage.




### Tool Features



## **N N64084-1-E**

Powerful coil nailer with oversize canister and twist-to-select fastener settings for quick size changes. Also includes 360° adjustable exhaust and dust and debris guard for operator protection.



### Tool Features






## COIL NAILERS RANGE

### EPAL **RN46DW-1EPAL**

Based on the popular and reliable RN46 chassis, the EPAL coil nailer is designed specifically for driving EPAL marking nails and is lightweight and easy to use.



#### Tool Features



2.3 kg

### EPAL Nailing

The **BOSTITCH** EPAL tool and fastener range is fully certified and comes with the reassurance of consistent quality.

These nails are manufactured specifically for your business with clear EPAL identification numbers on the marking nails' heads.

To order EPAL nails or to find out more, please contact your local sales team or visit [www.bostitch.co.uk](http://www.bostitch.co.uk).






## PROTECTING YOUR WORKFORCE

**BOSTITCH** is committed to providing dealers and end users with a full Health & Safety programme designed to engage and educate tool and fastener users and ensure safety in the workplace.

Our dedicated **BOSTITCH** trainers will provide a structured demonstration of the key elements of tool safety, giving your staff all the information and guidance they need to operate tools safely, whilst also reducing your exposure to potential health and safety issues.

### Course materials

In addition to training, we will provide extensive materials designed for your workplace, to support the importance of the golden rules of safe working with nailing and stapling tools.



### BOSTITCH Certification

Certificates are available for all those passing the course for added assurance that they have completed the required training to use the tools safely.

- Dedicated training sessions
- Workplace support materials
- Examination and certification
- Programme literature
- Clear, instructive H&S video programme



**AT****BOSTITCH Österreich**

Stanley Black & Decker Austria GmbH  
 Oberlaaer Strasse 248, 1230 Wien  
 ÖSTERREICH  
 T: +43 1 66 11 6 0  
[bostitch.de@sbdinc.com](mailto:bostitch.de@sbdinc.com)  
[www.bostitch.at](http://www.bostitch.at)

**BE NL****BOSTITCH Benelux**

Stanley Black & Decker Belgium BVBA  
 p/a Egide Walschaertsstraat 16  
 2800 Mechelen  
 BELGIË  
 Tel: +32 15 47 38 00  
[bostitch.benelux@sbdinc.com](mailto:bostitch.benelux@sbdinc.com)  
[www.stanley-bostitch.be](http://www.stanley-bostitch.be)  
[www.stanley-bostitch.nl](http://www.stanley-bostitch.nl)

**CH****BOSTITCH Schweiz**

Stanley Works (Europe) GmbH  
 Sitz: Dübendorf  
 In der Luberzen 42, 8902 Urdorf  
 SCHWEIZ  
 Tel: +41 (0)44 755 60 70  
[www.bostitch.ch](http://www.bostitch.ch)

**CZ SK****Stanley Black & Decker Czech Republic s.r.o.**

Türkova 5b, 149 00 Praha 4 - Chodov  
 ČESKÁ REPUBLIKA  
 Tel. +420 602 745440  
[petr.popovsky@sbdinc.com](mailto:petr.popovsky@sbdinc.com)  
[www.bostitch.cz](http://www.bostitch.cz)

**DE****BOSTITCH Deutschland**

Stanley Black & Decker Deutschland GmbH  
 Black-&-Decker Str. 40  
 65510 Idstein  
 DEUTSCHLAND  
 Tel: +49 (0) 6126 21-2985  
[bostitch.de@sbdinc.com](mailto:bostitch.de@sbdinc.com)  
[www.stanley-bostitch.de](http://www.stanley-bostitch.de)

**ES PT****Stanley Black & Decker Ibérica SLU**

Parque de Negocios "Mas Blau"  
 Edificio Muntadas  
 C/ Bergueda n. 1 Of. A6  
 08820 El Prat de Llobregat  
 Barcelona,  
 ESPAÑA  
 Tel: +34 93 217 65 02  
[iberia.bostitch@sbdinc.com](mailto:iberia.bostitch@sbdinc.com)  
[www.bostitch.es](http://www.bostitch.es)

**FR****BOSTITCH France**

Stanley Black & Decker France SAS  
 20, rue Gustave Eiffel  
 91420 MORANGIS  
 FRANCE  
 Tél. : 01 69 10 80 20  
[adv-bostitch@sbdinc.com](mailto:adv-bostitch@sbdinc.com)  
[www.bostitch.fr](http://www.bostitch.fr)

**GB****BOSTITCH UK**

270 Bath Road  
 Slough  
 SL1 4DX  
 United Kingdom  
 Tel: +44 (0)870 1 630 630  
[bostitchuksales@sbdinc.com](mailto:bostitchuksales@sbdinc.com)  
[www.bostitch.co.uk](http://www.bostitch.co.uk)

**IT****BOSTITCH Italia**


**STANLEYBLACK&DECKER ITALIA SRL**  
 Via Energy Park, 6 – 20871 VIMERCATE (MB)  
 ITALIA  
 Tel. 039 9590.200  
[servizioclientibostitch@sbdinc.com](mailto:servizioclientibostitch@sbdinc.com)  
[www.bostitch.it](http://www.bostitch.it)

**NO DK SE****Motek AS**

Alf Bjerckes vei 22 B, N-0582 OSLO  
 Postboks 81 Økern, N-0508 OSLO  
[firmapost@motek.no](mailto:firmapost@motek.no)  
[www.motek.no](http://www.motek.no)

**PL****Stanley Black & Decker Polska Sp. z o.o.**

Ul. Prosta 68  
 00-838 Warszawa  
 POLSKA  
 Tel.: +48 22 464 2735  
[sales.bostitch@sbdinc.com](mailto:sales.bostitch@sbdinc.com)  
[www.bostitch.pl](http://www.bostitch.pl)



Authorised distributor

**LIMITED WARRANTY**

BOSTITCH is confident of the quality of its products and offers a guarantee for professional users of the product. This guarantee statement is in addition to and in no way prejudices your contractual rights as a professional user or your statutory rights as a private non-professional user. The guarantee is valid within the territories of the Member States of the European Union and the European Free Trade Area.

If your BOSTITCH product becomes defective due to faulty

materials or workmanship within 12 months from the date of purchase, BOSTITCH guarantees to replace all defective parts free of charge or – at our discretion – replace the unit free of charge provided that:

- The product has not been misused
- The product has been subject to fair wear and tear; Driver blades, bumpers, and O rings are considered normally wearing parts and are excluded
- Repairs have not been attempted by unauthorised persons

- Proof of purchase is produced
- The product is returned complete with all original components
- The product is returned at your expense together with proof of purchase to our regional repair centre, or an authorised warranty centre.

If you wish to make a claim, contact your seller or check the location of your nearest authorised BOSTITCH repair agent in the BOSTITCH catalogue or contact your BOSTITCH office at the address indicated in this manual.

All tool data shown is for comparative purposes only. Full Health & Safety technical data is available on request. Features and specifications subject to modification without notice.

**www.bostitch.co.uk**

CODE TBC



# BOSTITCH®



「TOUGHEST  
TOOLS  
ON THE JOB」

Pneumatic & Cordless  
Construction Range

# World class knowledge & experience in construction



Since 1895, Bostitch has been designing and manufacturing tools and fasteners for a wide variety of applications and industries.

Over the years, we have become the leaders in developing innovative products that have set the standard for others to follow. For example, we launched the world's first coil nailer as far back as 1965.

With over 500 million fasteners made every day, Bostitch is one of the largest manufacturers of nailing & stapling tools and fasteners in the world.

We are dedicated to delivering the highest standards of products and support to the construction industry. To achieve this, we make sure that we listen to our customers' needs and design and manufacture the finest products for today's building materials and applications.

To make sure our tools match our reputation, we go to extremes to ensure that every tool bearing our name is more than capable of withstanding the challenge, so that it will provide years of safe, reliable and trouble free service.

Our team of over 100 highly trained and experienced engineers and testing staff design and test every tool with safety, reliability and durability in mind and no detail is overlooked.

## Choosing the right tool for the job

The construction range now includes both **gas cordless** and **pneumatic tools**, but how do you decide which is right for you? Here are the main benefits to consider:

### Pneumatic

#### KEY BENEFITS

- Rugged & dependable in hostile environments - tested down to -40°C
- Can be used in poorly ventilated areas
- Lower running costs
- Quick and easy to maintain and service



### Gas Cordless

#### KEY BENEFITS

- Can be used anywhere
- No external power supply needed
- Quick and easy to get started
- Fast 1 hour battery recharging



Make sure you also consider where the tool will be used. If you work on-site and need portability, cordless may be a better choice. Pneumatic tools on the other hand are perfect for workshops and for where ventilation is a concern.

Wherever you are working, we have the tool to suit. If you need help making your selection, visit our website or give us a call on **0870 1 630 630** and a trained member of staff will be happy to help.

## Fasteners

The nails and staples in this catalogue represent only a small part of our range.

Fasteners are available in a wide selection of finishes and formats suited to a vast range of construction applications, and also include various types of collation depending upon your requirements.

To view the complete range or for more information about choosing the most appropriate fastener for your needs, visit our website or contact Customer Services.







“a tool from **Bostitch** will deliver first class performance, month after month, year after year...”

## Tools and fasteners for every job



- Framing ● Roof trusses ● Sub flooring ● Stud work
- Panelling ● Architraves ● Skirting ● Flooring ...and more

From framing and studwork to finish and trim, the **Bostitch** tool and fastener range is designed to deliver, whatever the task.

Our advanced tool designs are the result of dedicated research with feedback from real users, making them firm favourites with tradesmen. Innovative features like fastener lockouts and selectable triggers give versatility, increased productivity and a professional finish - every time.

Our range includes both pneumatic and gas cordless models for ultimate choice and flexibility and also includes specialist tools for flooring installations, detailed woodworking and high-volume joist hanger installations.

For more help finding the ideal tool for your application, visit [www.bostitch.co.uk](http://www.bostitch.co.uk).

## Contents

	Page
<b>GAS CORDLESS</b>	
GF9033-E	4
Papertape Nails & Fuel Cells	5
GFN1664K-E	6
GBT1850K-E	7
16 & 18 Gauge Nails & Fuel Cells	8
<b>FIRST FIX</b>	
F28WW-E	9
F21PL-E	10
F33PTSM-E / F33PT-E	11
MCN150-E Strapshot	12
N66C-2-E	13
<b>SECOND FIX</b>	
N62FNB-E	14
FN1664-E	15
SB-HC50FN	16
BT1855-E	17
<b>BRADDER/STAPLER</b>	
SB-2IN1	18
<b>STAPLERS &amp; PINNERS</b>	
SX1838-E	19
21684B-E	20
TU-216-2330K-E	21
H30-6-E	22
PC8000 / T6-KIT	22
<b>FLOORING</b>	
MFN-201	23
MIIFN / MIIFS	24
<b>COMPRESSORS</b>	25-28
<b>COMBOS</b>	29
<b>ACCESSORIES</b>	30-31



# Gas CORDLESS NAILER

## Framing Nailer GF9033-E

### FEATURES

- 1  Over-moulded grip for comfort and control
- 2  Comes complete with 2 Ni-MH batteries for long lasting performance
- 3  Precision balanced design with in-line battery
- 4  Aluminium magazine for improved durability
- 5  Dial-A-Depth for adjusting the depth of drive quickly and easily

### FASTENERS



#### Paper-Tape & Wire-Weld Stick Nails:



### APPLICATIONS

- Roof framing & trusses
- Sub floors
- Joist hangers & beams
- Decking & fencing
- Stud walling




## High performance framing and construction

- The new GF9033-E cordless framing nailer from Bostitch is the first choice for portable nailing of heavy duty applications. Featuring an over-moulded grip and with an in-line battery for improved balance and comfort, the tool allows easy access to jobs on-site without the need for a compressor.
- Fully compatible with both Paper-Tape and Wire-Weld framing nails for ultimate flexibility.
- Nails and fuel cells are available in a wide variety of packs and finishes - see overleaf for full listings and compatibility.
- Tool comes complete with carry case, 2 batteries & charger.

### TOOL SPECIFICATION

<b>Model</b>	<b>GF9033-E</b>	<b>Mag Capacity</b>	60
<b>Weight</b>	3.42 Kg	<b>Working Ambient Temperature</b>	0-40°C
<b>Trip</b>	Seq	<b>Charging Time</b>	120 minutes
<b>Noise <math>L_{PA} / K_{PA}</math></b>	94.5 dB(A) / 1.5 dB	<b>Charging Voltage</b>	7.2V
<b>Noise <math>L_{WA} / K_{WA}</math></b>	96.4 dB(A) / 1.5 dB	<b>Battery Type</b>	Ni-MH 6V
<b>Vibration <math>a_h</math></b>	3.4 m/s <sup>2</sup>	<b>Fuel Cell</b>	FC80ML(HP)(B)

### FASTENER RANGE



- Paper-Tape and Wire-Weld fasteners are available in a wide range of finishes from 50mm to 90mm length.
- Packs are available with or without fuel cells.
- Fuel cells can be purchased in twin or bulk packs (x12).

Product Code	Description
FC80MLHP	2 x 80ml High Pressure Fuel Cells
FC80MLHPB	1 x box of 12 80ml High Pressure Fuel Cells

For full fastener and fuel cell range and compatibility, see page 5.



# NAILS & FUEL CELLS

## Nail Finishes

### Bright Nails

Economy and bright nails meet the Eurocode 5 requirements for applications in service class 1 (indoor). Specification – No coating

### Galvanised (G12)

Meet the Eurocode 5 requirements for applications in service class 1 and 2 (indoor and covered outdoor). Specification – Zn / Al alloy approx 12µm

## Fuel cell compatibility

Bostitch fuel cells are manufactured to the highest industry standards and meet all current health & safety regulations. They are also compatible with most major tool brands - please see the table below:



### FUEL CELL COMPATIBILITY

Tool model	Fuel Cell	
	FC80MLHP	FC80MLHPB
	2x 80ml High Pressure Fuel Cells	12 x 80ml High Pressure Fuel Cells
Bostitch® GF9033	✓	✓
Paslode® IM350	✓	✓
Hitachi® NR90GC	✓	✓
Makita® GN900	✓	✓
Senco® GT90	✓	✓
BeA® D90S	✓	✓
RAWL WW90	✓	✓

## PAPER-TAPE NAIL & FUEL CELL PACKS



### Compatibility

Product Code	Length mm	Description	Nail Qty	Fuel Cells	Bostitch GF9033	Paslode IM350	Hitachi NR90GC	Makita GN900	Senco GT90	BeA D90S	RAWL WW90
PT28R50FC	50	Plain Ring Shank 2.8 x 50mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
PT28R63FC	63	Plain Smooth Shank 2.8 x 63mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
PT28R63FC	63	Plain Ring Shank 2.8 x 63mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
PT2870FC	70	Plain Smooth Shank 2.8 x 70mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
PT28R75FC	75	Plain Ring Shank 2.8 x 75mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
PT31R70FC	70	Plain Ring Shank 3.1 x 70mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
PT31R80FC	80	Plain Smooth Shank 3.1 x 80mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
PT31R90FC	90	Plain Smooth Shank 3.1 x 90mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
PT28R50G12FC	50	Galvanised Ring Shank 2.8 x 50mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
PT28R63G12FC	63	Galvanised Ring Shank 2.8 x 63mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
PT28R70G12FC	70	Galvanised Ring Shank 2.8 x 70mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
PT28R75G12FC	75	Galvanised Ring Shank 2.8 x 75mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
PT31R90G12FC	90	Galvanised Smooth Shank 3.1 x 90mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
PT31R90G12FC	90	Galvanised Ring Shank 3.1 x 90mm Nails & Fuel Cells	2200	2	✓	✓	✓	✓	✓	✓	✓
FC80MLHP	-	80ml High Pressure Fuel Cell Twin Pack	-	2	✓	✓	✓	✓	✓	✓	✓
FC80MLHPB	-	80ml High Pressure Fuel Cell Multi Pack	-	12	✓	✓	✓	✓	✓	✓	✓

## PAPER-TAPE NAIL PACKS WITHOUT FUEL CELLS

### Compatibility

Product Code	Length mm	Description	Nail Qty	Bostitch GF9033	Paslode IM350	Hitachi NR90GC	Makita GN900	Senco GT90	BeA D90S	RAWL WW90
PT28R50	50	Plain Ring Shank 2.8 x 50mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
PT28R63	63	Plain Smooth Shank 2.8 x 63mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
PT28R63	63	Plain Ring Shank 2.8 x 63mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
PT2870	70	Plain Smooth Shank 2.8 x 70mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
PT28R75	75	Plain Ring Shank 2.8 x 75mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
PT31R70	70	Plain Ring Shank 3.1 x 70mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
PT31R75	75	Plain Ring Shank 3.1 x 75mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
PT31R80	80	Plain Smooth Shank 3.1 x 80mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
PT31R90	90	Plain Smooth Shank 3.1 x 90mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
PT28R50G12	50	Galvanised Ring Shank 2.8 x 50mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
PT28R63G12	63	Galvanised Ring Shank 2.8 x 63mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
PT28R70G12	70	Galvanised Ring Shank 2.8 x 70mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
PT31R90G12	90	Galvanised Smooth Shank 3.1 x 90mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
PT31R90G12	90	Galvanised Ring Shank 3.1 x 90mm Nails	2200	✓	✓	✓	✓	✓	✓	✓

## WIRE-WELD NAIL PACKS WITHOUT FUEL CELLS






### Compatibility

Product Code	Length mm	Description	Nail Qty	Bostitch GF9033	Paslode IM350	Hitachi NR90GC	Makita GN900	Senco GT90	BeA D90S	RAWL WW90
WW2850	50	Plain Smooth Shank 2.8 x 50mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
WW28R50	50	Plain Ring Shank 2.8 x 50mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
WW2863	63	Plain Smooth Shank 2.8 x 63mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
WW28R63	63	Plain Ring Shank 2.8 x 63mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
WW28R75	75	Plain Ring Shank 2.8 x 75mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
WW2890	90	Plain Smooth Shank 2.8 x 90mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
WW31R90	90	Plain Ring Shank 3.1 x 90mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
WW31R90	90	Plain Ring Shank 3.1 x 90mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
WW28R50G12	50	Galvanised Ring Shank 2.8 x 50mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
WW28R63G12	63	Galvanised Ring Shank 2.8 x 63mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
WW28R75G12	75	Galvanised Ring Shank 2.8 x 75mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
WW28R90G12	90	Galvanised Ring Shank 2.8 x 90mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
WW31R90G12	90	Galvanised Smooth Shank 3.1 x 90mm Nails	2200	✓	✓	✓	✓	✓	✓	✓
WW31R90G12	90	Galvanised Ring Shank 3.1 x 90mm Nails	2200	✓	✓	✓	✓	✓	✓	✓

# Gas CORDLESS NAILER


## 16 Gauge Straight Finish Nailer GFN1664K-E

### FEATURES

- 1  Fully over-moulded grip for comfort and control
- 2  Comes complete with 2 Li-Ion batteries for long lasting performance
- 3  Fast 1 hour recharge minimises downtime
- 4  Precision balanced design with in-line battery
- 5  Dial-A-Depth for adjusting the depth of drive quickly and easily

### FASTENERS

#### 16 Gauge Finish Nails:



### APPLICATIONS

- Tongue & groove
- Panelling
- Cabinet work
- Door & window sets
- Skirting & dado rails
- Staircases & rails



### Fast, flexible finish nailing

- Designed with an in-line battery for improved ergonomics and balance, the GFN1664K-E finish nailer allows easy access to jobs on-site without the need for a compressor and is nearly 20% lighter than its leading competitor.
- Nails and fuel cells are available in a wide variety of packs and finishes - see page 8 for more details.
- Tool comes complete with carry case, 2 batteries & charger.

### TOOL SPECIFICATION

<b>Model</b>	<b>GFN1664K-E</b>	<b>Mag Capacity</b>	100
<b>Weight</b>	1.68kg	<b>Working Ambient Temperature</b>	0-40°C
<b>Trip</b>	Seq	<b>Charging Time</b>	60 minutes
<b>Noise (LPA 1sd)</b>	96	<b>Charging Voltage</b>	3.6V
<b>Noise (LWA 1sd)</b>	103	<b>Battery Type</b>	Li-ion 3.6V
<b>Vibration m/s2</b>	2.1	<b>Fuel Cell</b>	FC30ML

### KEY FASTENERS & FUEL CELLS

- 16 Gauge finish nails are available in a wide range of finishes from 25mm to 65mm length.
- Packs are available with or without fuel cells.
- Fuel cells can be purchased in twin or bulk packs (x12).

Product Code	Description
FC30MLHP	2 x 30ml High Pressure Fuel Cells
FC30MLHPB	12 x 30ml High Pressure Fuel Cells

For full fastener and fuel cell range and compatibility, see page 8.



### ACCESSORIES

Product Code	Description
9B12070R-EU	1 x 3.6V Li-ion Battery
9B12071R-U	Replacement 1Hr Fast Charger with in-car adaptor
SB-TC1	Gas Tool Cleaner
SB-20CL	Oil










# Gas CORDLESS NAILER

## 18 Gauge Brad Nailer GBT1850K-E

### FEATURES

- 1  Fully over-moulded grip for comfort and control
- 2  Comes complete with 2 Li-Ion batteries for long lasting performance
- 3  Fast 1 hour recharge minimises downtime
- 4  Precision balanced design with in-line battery
- 5  Dial-A-Depth for adjusting the depth of drive quickly and easily

### FASTENERS **BT13**

#### 18 Gauge Brad Nails:



### APPLICATIONS

- Beading & trim
- Tongue & groove
- Panelling
- Cabinet work



### Fast, flexible finish nailing

- Designed with lightness and balance in mind, the GBT1850K-E cordless brad nailer is significantly lighter than its leading competitor. With an in-line battery for ergonomics and balance, the tool allows easy access to jobs on-site without the need for a compressor.
- Nails and fuel cells are available in a wide variety of packs and finishes - see page 8 for more details.
- Tool comes complete with carry case, 2 batteries & charger.

### TOOL SPECIFICATION

Model	GBT1850K-E	Mag Capacity	100
Weight	1.8kg	Working Ambient Temperature	0-40°C
Trip	Seq	Charging Time	60 minutes
Noise (LPA 1sd)	96	Charging Voltage	3.6V
Noise (LWA 1sd)	103	Battery Type	Li-ion 3.6V
Vibration m/s2	2.1	Fuel Cell	FC30ML

### KEY FASTENERS & FUEL CELLS **BT13**

- BT13 Brad nails are available in a wide range of finishes from 15mm to 50mm length.
- Packs are available with or without fuel cells.
- Fuel cells can be purchased in twin or bulk packs (x12).

Product Code	Description
FC30MLHP	2 x 30ml High Pressure Fuel Cells
FC30MLHPB	12 x 30ml High Pressure Fuel Cells



For full fastener and fuel cell range and compatibility, see page 8.

### ACCESSORIES

Product Code	Description
9B12070R-EU	1 x 3.6v Li-ion Battery
9B12071R-U	Replacement 1Hr Fast Charger with in-car adaptor
SB-TC1	Gas Tool Cleaner
SB-20CL	Oil



# NAILS & FUEL CELLS

## Nail Finishes

### Bright Nails

Economy and bright nails meet the Eurocode 5 requirements for applications in service class 1 (indoor). Specification – No coating.

## Fuel cell compatibility

Bostitch fuel cells are manufactured to the highest industry standards and meet all current health & safety regulations. They are also compatible with all major tool brands - please see the table below:

FUEL CELL COMPATIBILITY		
Tool model	Fuel Cell	
	FC30MLHP	FC30MLHPB
	2x 30ml High Pressure Fuel Cells	12 x 30ml High Pressure Fuel Cells
Bostitch® GFN1664K	✓	✓
Paslode® IM65	✓	✓
Paslode® IM250	✓	✓
Hitachi® NT65G	✓	✓
Bostitch® GBT1850K	✓	✓
Paslode® IM50	✓	✓
Paslode® IM200	✓	✓
Hitachi® NT50G	✓	✓



## 16 GAUGE FINISH NAIL & FUEL CELL PACKS



Product Code	Length mm	Description	Nail Qty	Fuel Cells	Compatibility			
16G25FC	25	Galvanised 25mm 16 Gauge Straight Finish Nail & Fuel Cells	2000	2	✓	✓	✓	✓
16G32FC	32	Galvanised 32mm 16 Gauge Straight Finish Nail & Fuel Cells	2000	2	✓	✓	✓	✓
16G38FC	38	Galvanised 38mm 16 Gauge Straight Finish Nail & Fuel Cells	2000	2	✓	✓	✓	✓
16G45FC	45	Galvanised 45mm 16 Gauge Straight Finish Nail & Fuel Cells	2000	2	✓	✓	✓	✓
16G50FC	50	Galvanised 50mm 16 Gauge Straight Finish Nail & Fuel Cells	2000	2	✓	✓	✓	✓
16G57FC	57	Galvanised 57mm 16 Gauge Straight Finish Nail & Fuel Cells	2000	2	✓	✓	✓	✓
16G64FC	64	Galvanised 64mm 16 Gauge Straight Finish Nail & Fuel Cells	2000	2	✓	✓	✓	✓
FC30MLHP	-	30ml High Pressure Fuel Cell Twin Pack	-	2	✓	✓	✓	✓
FC30MLHPB	-	30ml High Pressure Fuel Cell Multi Pack	-	12	✓	✓	✓	✓

## 16 GAUGE FINISH NAIL WITHOUT FUEL CELLS

Product Code	Length mm	Description	Nail Qty	Compatibility			
SB16-1.25E	32	Galvanised 32mm 16 Gauge Straight Finish Nail	1000	✓	✓	✓	✓
SB16-1.50E	38	Galvanised 38mm 16 Gauge Straight Finish Nail	1000	✓	✓	✓	✓
SB16-1.75E	45	Galvanised 45mm 16 Gauge Straight Finish Nail	1000	✓	✓	✓	✓
SB16-2.0E	50	Galvanised 50mm 16 Gauge Straight Finish Nail	1000	✓	✓	✓	✓
SB16-2.5E	65	Galvanised 65mm 16 Gauge Straight Finish Nail	1000	✓	✓	✓	✓
SB16-1.25	32	Galvanised 32mm 16 Gauge Straight Finish Nail	2500	✓	✓	✓	✓
SB16-1.50	38	Galvanised 38mm 16 Gauge Straight Finish Nail	2500	✓	✓	✓	✓
SB16-1.75	45	Galvanised 45mm 16 Gauge Straight Finish Nail	2500	✓	✓	✓	✓
SB16-2.00	50	Galvanised 50mm 16 Gauge Straight Finish Nail	2500	✓	✓	✓	✓
SB16-2.25	57	Galvanised 57mm 16 Gauge Straight Finish Nail	2500	✓	✓	✓	✓
SB16-2.50	65	Galvanised 65mm 16 Gauge Straight Finish Nail	2500	✓	✓	✓	✓

## 18 GAUGE BRAD NAIL & FUEL CELL PACKS



Product Code	Length mm	Description	Nail Qty	Fuel Cells	Compatibility			
18G15FC	15	Galvanised 15mm 18 Gauge Brad Nail & Fuel Cells	2000	2	✓	✓	✓	✓
18G20FC	20	Galvanised 20mm 18 Gauge Brad Nail & Fuel Cells	2000	2	✓	✓	✓	✓
18G25FC	25	Galvanised 25mm 18 Gauge Brad Nail & Fuel Cells	2000	2	✓	✓	✓	✓
18G32FC	32	Galvanised 32mm 18 Gauge Brad Nail & Fuel Cells	2000	2	✓	✓	✓	✓
18G38FC	38	Galvanised 38mm 18 Gauge Brad Nail & Fuel Cells	2000	2	✓	✓	✓	✓
18G45FC	45	Galvanised 45mm 18 Gauge Brad Nail & Fuel Cells	2000	2	✓	✓	✓	✓
18G50FC	50	Galvanised 50mm 18 Gauge Brad Nail & Fuel Cells	2000	2	✓	✓	✓	✓
FC30MLHP	-	30ml High Pressure Fuel Cell Twin Pack	-	2	✓	✓	✓	✓
FC30MLHPB	-	30ml High Pressure Fuel Cell Multi Pack	-	12	✓	✓	✓	✓

## 18 GAUGE BRAD NAIL WITHOUT FUEL CELLS

Product Code	Length mm	Description	Nail Qty	Compatibility			
BT1300B-1M	15	Galvanised 15mm 18 Gauge Brown Brad Nail	1000	✓	✓	✓	✓
BT1303B-1M	19	Galvanised 19mm 18 Gauge Brown Brad Nail	1000	✓	✓	✓	✓
BT1309B-1M	25	Galvanised 25mm 18 Gauge Brown Brad Nail	1000	✓	✓	✓	✓
BT1314B-1M	30	Galvanised 30mm 18 Gauge Brown Brad Nail	1000	✓	✓	✓	✓
BT1332B-1M	32	Galvanised 32mm 18 Gauge Brown Brad Nail	1000	✓	✓	✓	✓
BT1335B-1M	35	Galvanised 35mm 18 Gauge Brown Brad Nail	1000	✓	✓	✓	✓
BT1340B-1M	40	Galvanised 40mm 18 Gauge Brown Brad Nail	1000	✓	✓	✓	✓
BT1345B-1M	45	Galvanised 45mm 18 Gauge Brown Brad Nail	1000	✓	✓	✓	✓
BT1350B-1M	50	Galvanised 50mm 18 Gauge Brown Brad Nail	1000	✓	✓	✓	✓


BULK BRADS							
BT1310GA	10	Minibrads 10 GALVA 5m	5000	✓	✓	✓	✓
BT1315GA	15	Minibrads 15 GALVA 5m	5000	✓	✓	✓	✓
BT1320GA	20	Minibrads 20 GALVA 5m	5000	✓	✓	✓	✓
BT1325GA	25	Minibrads 25 GALVA 5m	5000	✓	✓	✓	✓
BT1330GA	30	Minibrads 30 GALVA 5m	5000	✓	✓	✓	✓
BT1335GA	35	Minibrads 35 GALVA 5m	5000	✓	✓	✓	✓
BT1338GA	38	Minibrads 38 GALVA 5m	5000	✓	✓	✓	✓
BT1340GA	40	Minibrads 40 GALVA 5m	5000	✓	✓	✓	✓
BT1345GA	45	Minibrads 45-GALVA 5m	5000	✓	✓	✓	✓
BT1350GA	50	Minibrads 50 GALVA 5m	5000	✓	✓	✓	✓

# FIRST FIX NAILER


## Wire-Weld Framing Nailer F28WW-E

### FEATURES


- 1




CE compliant sequential trip for safer working on-site
- 2




Adjustable exhaust to direct air away from workpiece and operator
- 3



Push button depth control for quick and easy adjustments to the depth of drive
- 4



Magnesium housing for lightness and durability
- 5



Comes complete with carry case

### FASTENERS

#### Wire-Weld Stick Nails:



### APPLICATIONS

- Roof framing & trusses
- Decking & flooring
- Sub floors
- Stud walling
- Joist hangers & beams



### The robust workhorse...

- Using wire collated nails, the F28WW-E is ideal for heavy-duty construction framing and flooring applications. The wire collated nails are available in either a smooth or ring shank, and the range also includes both electro galvanised and unplated nails.
- Wire-weld zinc electro coated nails are plated to 8 microns and give protection from the elements. Most importantly they also represent outstanding value for money.

### TOOL SPECIFICATION

Model	F28WW-E	Noise (dB)	LPA 1S, d	96.3
Weight	3.5kg		LWA 1S, d	100.1
Trip Type	Seq		LPA 1S, 1m	87.1
Magazine Capacity	75-90	Operating Pressure (PSI)		70-120
Vibration (m/s2)	3.61	(BAR)		4.8-8.3

### FASTENER RANGE

LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
50	S28050	STICK NAIL SMOOTH	BOX	2000
50	S280R50	STICK NAIL RING	BOX	2000
50	S28050G8	STICK NAIL SMOOTH GALV	BOX	2000
65	S28065	STICK NAIL SMOOTH	BOX	2000
65	S280R65	STICK NAIL RING	BOX	2000
65	S28065G8	STICK NAIL SMOOTH GALV	BOX	2000
65	S280R65G8	STICK NAIL RING GALV	BOX	2000
75	S28075	STICK NAIL SMOOTH	BOX	2000
75	S280R75	STICK NAIL RING	BOX	2000
75	S280R75G8	STICK NAIL RING GALV	BOX	2000
90	S31090	STICK NAIL SMOOTH	BOX	2000
90	S310R90	STICK NAIL RING	BOX	2000
90	S31090G8	STICK NAIL SMOOTH GALV	BOX	2000
90	S310R90G8	STICK NAIL RING GALV	BOX	2000

\*ALSO FITS TOOL MODEL

### ACCESSORIES

Code	Product	Qty
121072	No-Mar Tip	1 x Pack of 1








\*N79, N80SB, N88WW



# FIRST FIX NAILER


## Full Roundhead Nailer F21PL-E

### FEATURES


-  CE compliant sequential trip for safer working on-site
-  Adjustable exhaust to direct air away from workpiece and operator
-  Push button depth control for quick and easy adjustments to the depth of drive
-  Simple switch-over from standard nailing to MCN mode for connecting brackets
-  Comes complete with carry case

### FASTENERS

#### MCN Nails:



#### Full Roundhead Framing Nails:



### APPLICATIONS

- Roof framing & trusses
- Decking & flooring
- Sub floors
- Stud walling
- Joist hangers & beams



## Dual purpose first fix nailer...

- This dual purpose framing nailer has improved features and even more power.
- Converts in seconds from a standard framing nailer to a positive placement tool. Ideal for roof trusses, joist hangers and metal connecting plates.
- Drives plastic collated roundhead nails, with bright and G13 galvanisation to 50 microns for a long life. Metal connector nails are galvanised to 15 microns.

### TOOL SPECIFICATION

<b>Model</b>	<b>F21PL-E</b>	<b>Noise (dB)</b>	<b>LPA 1S, d</b>	96.7
<b>Weight</b>	3.67kg		<b>LWA 1S, d</b>	100.1
<b>Trip Type</b>	Seq		<b>LPA 1S, 1m</b>	87.1
<b>Magazine Capacity</b>	25-75	<b>Operating Pressure (PSI)</b>		70-120
<b>Vibration (m/s<sup>2</sup>)</b>	3.31	<b>(BAR)</b>		4.8-8.3

### FASTENER RANGE

LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
38	MCN400R38GAL	ANCHOR STICK 4.00-38 RING GAL	BOX	2000
40	MCN400R40GAL	ANCHOR STICK 4.00-40 RING GAL	BOX	2000
45	MCN400R45GAL	ANCHOR STICK 4.00-45 RING GAL	BOX	2000
50	MCN400R50GAL	ANCHOR STICK 4.00-50 RING GAL	BOX	2000
55	MCN400R55GAL	ANCHOR STICK 4.00-55 RING GAL	BOX	2000
60	MCN400R60GAL	ANCHOR STICK 4.00-60 RING GAL	BOX	2000
65	MCN400R65GAL	ANCHOR STICK 4.00-65 RING GAL	BOX	2000
<b>FULL ROUNDHEAD NAILS ONLY FOR USE WITH FRAMING TIP</b>				
45	RH25R45G50	2.5MM RING GALV	BOX	2000
50	RH25R50G50	2.5MM RING GALV	BOX	2000
50	RH28R50G50	2.8MM RING GALV	BOX	2000
55	RH25R55G50	2.5MM RING GALV	BOX	2000
60	RH2860G50	2.8MM SMOOTH GALV	BOX	2000
65	RH28R65G50	2.8MM RING GALV	BOX	2000
70	RH28R70G50	2.8MM RING GALV	BOX	2000
75	RH28R75G50	2.8MM RING GALV	BOX	2000
80	RH31R80G50	3.1MM RING GALV	BOX	2000
90	RH3190G50	3.1MM SMOOTH GALV	BOX	2000
90	RH31R90G50	3.1MM RING GALV	BOX	2000

\*ALSO FITS TOOL MODEL

### ACCESSORIES






Code	Product	Qty
121072	No-Mar Tip	1 x Pack of 1




# FIRST FIX NAILER

## Paper-Tape & Wire-Weld Stick Nailer F33PT-E / F33PTSM-E

### FEATURES

-  CE compliant sequential trip for safer working on-site
-  Adjustable exhaust to direct air away from workpiece and operator
-  Push button depth control for quick and easy adjustments to the depth of drive
-  Compact magazine, for easy access between joists
-  Comes complete with carry case

### FASTENERS



### APPLICATIONS

- Roof framing & trusses
- Sub floors
- Joist hangers & beams
- Decking & flooring
- Stud walling




### Ideal for framing and stud walling

- The first Bostitch nailer to drive both Paper-Tape and Wire-Weld nails has been specifically designed for ease of use in tight situations.
- The powerful engine drives up to 90mm nails, whilst the lightweight magnesium body makes it comfortable to use all day long.

### TOOL SPECIFICATION

Model	F33PT-E / F33PTSM-E	Noise (dB)	LPA 1S, d	83.9 / 90.8
Weight	3.6kg / 3.5kg	LWA 1S, d	90.7 / 99.7	
Trip Type	Seq / Seq	LPA 1S, 1m	77.7 / 86.7	
Magazine Capacity	75 / 50	Operating Pressure (PSI)	70-120 / 70-120	
Vibration (m/s <sup>2</sup> )	3.62 / 3.026	(BAR)	4.8-8.3 / 4.8-8.3	

### FASTENER RANGE



LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
<b>PAPER-TAPE</b>				
50	PT28R50	PLAIN RING SHANK 2.8 X 50MM NAILS	BOX	2200
63	PT2863	PLAIN SMOOTH SHANK 2.8 X 63MM NAILS	BOX	2200
63	PT28R63	PLAIN RING SHANK 2.8 X 63MM NAILS	BOX	2200
70	PT2870	PLAIN SMOOTH SHANK 2.8 X 70MM NAILS	BOX	2200
75	PT28R75	PLAIN RING SHANK 2.8 X 75MM NAILS	BOX	2200
70	PT31R70	PLAIN RING SHANK 3.1 X 70MM NAILS	BOX	2200
75	PT31R75	PLAIN RING SHANK 3.1 X 75MM NAILS	BOX	2200
80	PT3180	PLAIN SMOOTH SHANK 3.1 X 80MM NAILS	BOX	2200
90	PT3190	PLAIN SMOOTH SHANK 3.1 X 90MM NAILS	BOX	2200
50	PT28R50G12	GALVANISED RING SHANK 2.8 X 50MM NAILS	BOX	2200
63	PT28R63G12	GALVANISED RING SHANK 2.8 X 63MM NAILS	BOX	2200
70	PT28R70G12	GALVANISED RING SHANK 2.8 X 70MM NAILS	BOX	2200
90	PT3190G12	GALVANISED SMOOTH SHANK 3.1 X 90MM NAILS	BOX	2200
90	PT31R90G12	GALVANISED RING SHANK 3.1 X 90MM NAILS	BOX	2200
<b>WIRE-WELD</b>				
50	WW2850	PLAIN SMOOTH SHANK 2.8 X 50MM NAILS	BOX	2200
50	WW28R50	PLAIN RING SHANK 2.8 X 50MM NAILS	BOX	2200
63	WW2863	PLAIN SMOOTH SHANK 2.8 X 63MM NAILS	BOX	2200
63	WW28R63	PLAIN RING SHANK 2.8 X 63MM NAILS	BOX	2200
75	WW28R75	PLAIN RING SHANK 2.8 X 75MM NAILS	BOX	2200
90	WW2890	PLAIN SMOOTH SHANK 2.8 X 90MM NAILS	BOX	2200
90	WW3190	PLAIN RING SHANK 3.1 X 90MM NAILS	BOX	2200
90	WW31R90	PLAIN RING SHANK 3.1 X 90MM NAILS	BOX	2200
50	WW28R50G12	GALVANISED RING SHANK 2.8 X 50MM NAILS	BOX	2200
63	WW28R63G12	GALVANISED RING SHANK 2.8 X 63MM NAILS	BOX	2200
75	WW28R75G12	GALVANISED RING SHANK 2.8 X 75MM NAILS	BOX	2200
90	WW28R90G12	GALVANISED RING SHANK 2.8 X 90MM NAILS	BOX	2200
90	WW3190G12	GALVANISED SMOOTH SHANK 3.1 X 90MM NAILS	BOX	2200
90	WW31R90G12	GALVANISED RING SHANK 3.1 X 90MM NAILS	BOX	2200









# POSITIVE PLACEMENT NAILER

**STRAPSHOT™**


**MCN150-E**

## FEATURES

- 1  Exposed nail tip for easy nail placement and accurate fitting of joist hangers
- 2  Adjustable exhaust to direct air away from workpiece and operator
- 3  Nail lockout to prevent dry firing
- 4  Compact magazine, for easy access between joists
- 5  Comes complete with carry case

## FASTENERS

### Metal Connecting Nails:



## APPLICATIONS

- Joist hangers
- Strapping
- Timber support brackets



## **STRAPSHOT™** ...the specialist metal connector nailer

- The award winning StrapShot™ MCN150-E is the most advanced pneumatic positive placement nailer on the market. The compact StrapShot™ is designed to work where other nailers can't, allowing access to even the tightest corners, and the innovative exposed-tip design positions the fastener directly into the connector plate's holes for faster and more accurate positioning than ever before.
- As well as being compact, the tool is also incredibly lightweight and simple to use and maintain.

## TOOL SPECIFICATION

<b>Model</b>	<b>MCN150-E</b>	<b>Noise (dB)</b>	<b>LPA 1S, d</b>	92.7
<b>Weight</b>	1.95kg		<b>LWA 1S, d</b>	101.4
<b>Trip Type</b>	Seq		<b>LPA 1S, 1m</b>	88.4
<b>Magazine Capacity</b>	29	<b>Operating Pressure (PSI)</b>		70-120
<b>Vibration (m/s<sup>2</sup>)</b>	5.11	<b>(BAR)</b>		4.8-8.4

## FASTENER RANGE

LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
38	PT-MC375SP38G1M	SPIRAL TWIST NAIL GALV	BOX	1000
38	PT-MC375SP38G	SPIRAL TWIST NAIL GALV	BOX	4000




# Coil Nailer


## Coil Nailer N66C-2-E

### FEATURES


- 1




Dial-A-Depth for adjusting the depth of drive quickly and easily
- 2




Adjustable exhaust to direct air away from workpiece and operator
- 3



Lightweight yet strong housing
- 4




Includes utility hook for convenient storage on site
- 5




Comes complete with carry case

### FASTENERS N

#### Wire Weld Collated Coil Nails:



#### Plastic Collated Coil Nails:



### APPLICATIONS

- Sidings
- Roofing
- Sheet flooring
- Tile battens



### Flexible & durable coil nailing...

- The high capacity N66C-2-E coil nailer is designed with a tough, resilient housing but uses light weight materials, making this tool ideal for prolonged use.
- The fastener depth adjustment gives ultimate control, and the tool is also compatible with both plastic and wire collated nails for maximum flexibility.

### TOOL SPECIFICATION

Model	N66C-2-E	Noise (dB)	LPA 1S, d	91.5
Weight	1.99kg	LWA 1S, d		97.3
Trip Type	Seq	LPA 1S, 1m		84.3
Magazine Capacity	225	Operating Pressure (PSI)		70-120
Vibration (m/s2)	3.26	(BAR)		4.8-8.3

### FASTENER RANGE N






LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
35	N203R35Q	COIL NAIL 2.03-35 RING 21M	BOX	21000
40	N203R40Q	COIL NAIL 2.03-40 RING 17.5M	BOX	17500
45	N203R45Q	COIL NAIL 2.03-45 RING 17.5M	BOX	17500
50	N203R50Q	COIL NAIL 2.30-50 RING 13.2M	BOX	13200
55	N230R55Q	COIL NAIL 2.30-55 RING 9.9M	BOX	9900
35	N203R35G8Q	COIL NAIL 2.03-35 RING GAL8 21M	BOX	21000
40	N203R40G8Q	COIL NAIL 2.03-40 RING GAL8 17.5M	BOX	17500
45	N203R45G8Q	COIL NAIL 2.03-45 RING GAL8 17.5M	BOX	17500
50	N203R50G8Q	COIL NAIL 2.30-50 RING GAL8 13.2M	BOX	13200
55	N230R55G8Q	COIL NAIL 2.30-55 RING GAL8 9.9M	BOX	9900



# SECOND FIX NAILER


## 15 Gauge Angled Finish Nailer N62FNB-E

### FEATURES

- 1  Oil free engine ensures low maintenance and eliminates oil stains on the workpiece
- 2  LED light allows for accurate placement even when working in enclosed or poorly lit areas
- 3  Integrated air blower allows users to quickly and easily clear away debris
- 4  Selectable trigger system switches between sequential and contact trip instantly
- 5  Rear exhaust directs air away from work area and the user

### FASTENERS **FN15**

#### 15 Gauge Angled Finish Nails:



### APPLICATIONS

- Shop & bar-fitting
- Light framing
- Architrave
- Staircases
- Boxing



### Designed with the user in mind...

- With its selectable trigger system, LED light and integrated air blower, the N62FNB-E finish nailer makes light work of even the most demanding of applications.
- Driving popular 15 gauge angled finish nails from 32-64mm, the oil-free tool design requires only minimal maintenance and eliminates the risk of oil stains on the workpiece.
- Comes complete with carry case.

### TOOL SPECIFICATION

<b>Model</b>	<b>N62FNB-E</b>	<b>Noise (dB)</b>	<b>LPA 1S, d</b>	72.0
<b>Weight</b>	1.8kg		<b>LWA 1S, d</b>	80.7
<b>Trip Type</b>	Seq / Con		<b>LPA 1S, 1m</b>	67.7
<b>Magazine Capacity</b>	129	<b>Operating Pressure (PSI)</b>		71-122
<b>Vibration (m/s<sup>2</sup>)</b>	3.27	<b>(BAR)</b>		4.9-8.4

### FASTENER RANGE **FN15**

LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
32	FN1520	15 GAUGE ANGLED FINISH NAIL GALV	BOX	3655
38	FN1524	15 GAUGE ANGLED FINISH NAIL GALV	BOX	3655
44	FN1528	15 GAUGE ANGLED FINISH NAIL GALV	BOX	3655
50	FN1532	15 GAUGE ANGLED FINISH NAIL GALV	BOX	3655
57	FN1536	15 GAUGE ANGLED FINISH NAIL GALV	BOX	3655
64	FN1540	15 GAUGE ANGLED FINISH NAIL GALV	BOX	3655
38	FN1524SS	15 GAUGE ANGLED FINISH NAIL (SS)	BOX	3655
50	FN1532SS	15 GAUGE ANGLED FINISH NAIL (SS)	BOX	3655
64	FN1540SS	15 GAUGE ANGLED FINISH NAIL (SS)	BOX	3655

\*ALSO FITS TOOL MODEL

\*N62FNB, N62FNBK




# SECOND FIX NAILER


## Finish Nailer FN1664-E

### FEATURES


- 1




Selectable trigger system switches between sequential and contact trip instantly
- 2




Fastener lockout system prevents dry firing & reworking
- 3



Oil free engine ensures low maintenance and eliminates oil stains on the workpiece
- 4




Dial-A-Depth for adjusting the depth of drive quickly and easily
- 5



Comes complete with carry case

### FASTENERS

#### 16 Gauge Finish Nails:



### APPLICATIONS

- Tongue & groove

• Panelling

• Cabinet work
- Door & window sets

• Skirting & dado rails

• Staircases & rails



### Advanced features, powerful performance...

- The 16 gauge FN1664-E finish nailer represents great value for money with a design incorporating class leading features.
- The FN1664-E has a lightweight magnesium body, no-nail lockout, rear exhaust and selectable trigger without compromising the high durability and build quality that has made Bostitch the market leader in performance pneumatic tools for construction.
- The tool comes complete with 1000 fasteners and heavy duty carry case.

### TOOL SPECIFICATION

Model	FN1664-E	Noise (dB)	LPA 1S, d	85.1
Weight	1.7kg		LWA 1S, d	89.2
Trip Type	Seq / Con		LPA 1S, 1m	76.2
Magazine Capacity	110	Operating Pressure	(PSI)	70-120
Vibration (m/s2)	3.1		(BAR)	4.8-8.3

### FASTENER RANGE

LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
32	SB16-1.25E	16 GAUGE STRAIGHT FINISH NAIL GALV	CLAM	1000
38	SB16-1.50E	16 GAUGE STRAIGHT FINISH NAIL GALV	CLAM	1000
45	SB16-1.75E	16 GAUGE STRAIGHT FINISH NAIL GALV	CLAM	1000
50	SB16-2.0E	16 GAUGE STRAIGHT FINISH NAIL GALV	CLAM	1000
57	SB16-2.25E	16 GAUGE STRAIGHT FINISH NAIL GALV	CLAM	1000
64	SB16-2.5E	16 GAUGE STRAIGHT FINISH NAIL GALV	CLAM	1000
BULK FINISH NAILS				
25	SB16-1.00	16 GAUGE STRAIGHT FINISH NAIL GALV	BOX	5000
32	SB16-1.25	16 GAUGE STRAIGHT FINISH NAIL GALV	BOX	2500
38	SB16-1.50	16 GAUGE STRAIGHT FINISH NAIL GALV	BOX	2500
44	SB16-1.75	16 GAUGE STRAIGHT FINISH NAIL GALV	BOX	2500
50	SB16-2.00	16 GAUGE STRAIGHT FINISH NAIL GALV	BOX	2500
56	SB16-2.25	16 GAUGE STRAIGHT FINISH NAIL GALV	BOX	2500
64	SB16-2.50	16 GAUGE STRAIGHT FINISH NAIL GALV	BOX	2500

\*ALSO FITS TOOL MODEL

### ACCESSORIES

Code	Product	Qty
107545	No-Mar Tip	1 x Pack of 1










# SECOND FIX NAILER


## Concrete Block Finish Nailer SB-HC50FN

### FEATURES

- 1  No-mar tip to prevent wood bruising
- 2  Lightweight yet strong aluminium housing
- 3  CE compliant sequential trip for safer working on-site
- 4  Adjustable exhaust to direct air away from workpiece and operator
- 5  Comes complete with carry case

### FASTENERS

#### Hardened Finish Nails:



### APPLICATIONS

- Skirting
- Door lining
- Gripper rods
- Trim & panelling



### Drives nails into concrete block...

- Designed to drive tungsten hardened nails into almost all forms of concrete block, the SB-HC50FN can fix door liners into block and gripper rods into floor screeds.
- It is not recommended that this tool is used to drive nails into any form of strengthened concrete or engineered and glazed bricks.

### TOOL SPECIFICATION

<b>Model</b>	<b>SB-HC50FN</b>	<b>Noise (dB)</b>	<b>LPA 1S, d</b>	96.8
<b>Weight</b>	1.98kg		<b>LWA 1S, d</b>	100.3
<b>Trip Type</b>	Seq		<b>LPA 1S, 1m</b>	87.3
<b>Magazine Capacity</b>	100	<b>Operating Pressure (PSI)</b>		72-100
<b>Vibration (m/s<sup>2</sup>)</b>	2.13	<b>(BAR)</b>		5-7

### FASTENER RANGE






LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
15	HCFN-15	HIGH CARBON ZINC DICHROMATE NAIL	BOX	1500
20	HCFN-20	HIGH CARBON ZINC DICHROMATE NAIL	BOX	1500
25	HCFN-25	HIGH CARBON ZINC DICHROMATE NAIL	BOX	1500
30	HCFN-30	HIGH CARBON ZINC DICHROMATE NAIL	BOX	1500
35	HCFN-35	HIGH CARBON ZINC DICHROMATE NAIL	BOX	1500
40	HCFN-40	HIGH CARBON ZINC DICHROMATE NAIL	BOX	1500
50	HCFN-50	HIGH CARBON ZINC DICHROMATE NAIL	BOX	1500



# SECOND FIX NAILER


## Brad Nailer BT1855-E

### FEATURES

- 1  Selectable trigger system switches between sequential and contact trip instantly
- 2  Fastener lockout system prevents dry firing & reworking
- 3  Oil free engine ensures low maintenance and eliminates oil stains on the workpiece
- 4  Dial-A-Depth for adjusting the depth of drive quickly and easily
- 5  Comes complete with carry case

### FASTENERS **BT13**

#### 18 Gauge Brad Nails:



### APPLICATIONS

- Beading & trim
- Panelling
- Tongue & groove
- Cabinet work



### High performance brad nailing...

- The BT1855-E tool is the most feature-packed brad nailer on the market and comes complete with a host of features to meet the demands of today's construction users.
- This tool includes everything from a selectable trigger system and oil free engine to a moulded handle design to give maximum performance with improved durability and tool balance, all in a compact body design.
- Comes complete with 1000 fasteners and heavy duty carry case.

### TOOL SPECIFICATION

<b>Model</b>	<b>BT1855-E</b>	<b>Noise (dB)</b>	<b>LPA 1S, d</b>	83.2
<b>Weight</b>	1.23kg		<b>LWA 1S, d</b>	88.5
<b>Trip Type</b>	Seq / Con		<b>LPA 1S, 1m</b>	75.5
<b>Magazine Capacity</b>	100	<b>Operating Pressure (PSI)</b>		70-120
<b>Vibration (m/s<sup>2</sup>)</b>	2.8	<b>(BAR)</b>		4.8-8.3

### FASTENER RANGE **BT13**

LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
15	BT1300B-1M	GALVANISED BRAD BROWN	CLAM	1000
19	BT1303B-1M	GALVANISED BRAD BROWN	CLAM	1000
25	BT1309B-1M	GALVANISED BRAD BROWN	CLAM	1000
30	BT1314B-1M	GALVANISED BRAD BROWN	CLAM	1000
32	BT1332B-1M	GALVANISED BRAD BROWN	CLAM	1000
35	BT1335B-1M	GALVANISED BRAD BROWN	CLAM	1000
40	BT1340B-1M	GALVANISED BRAD BROWN	CLAM	1000
45	BT1345B-1M	GALVANISED BRAD BROWN	CLAM	1000
50	BT1350B-1M	GALVANISED BRAD BROWN	CLAM	1000
<b>BULK BRADS</b>				
15	BT1315GA	GALVANISED BRAD	BOX	5000
20	BT1320GA	GALVANISED BRAD	BOX	5000
25	BT1325GA	GALVANISED BRAD	BOX	5000
30	BT1330GA	GALVANISED BRAD	BOX	5000
35	BT1335GA	GALVANISED BRAD	BOX	5000
38	BT1338GA	GALVANISED BRAD	BOX	5000
40	BT1340GA	GALVANISED BRAD	BOX	5000
45	BT1345GA	GALVANISED BRAD	BOX	5000
50	BT1350GA	GALVANISED BRAD	BOX	5000





\*ALSO FITS TOOL MODEL



# 2 IN 1 TOOL

## Stapler & Brad Nailer SB-2IN1

### FEATURES

- 1  Dial-A-Depth for adjusting the depth of drive quickly and easily
- 2  CE compliant sequential trip for safer working on-site
- 3  Adjustable exhaust to direct air away from workpiece and operator
- 4  Easy View Magazine
- 5  Comes complete with carry case

### FASTENERS

**BT13**

**SX**

#### 18 Gauge Brad Nails:



#### Staples:



### APPLICATIONS

- Wood panelling
- Cabinet construction
- Fencing
- Wire mesh fitting
- Trellis work
- Furniture & trim



## The perfect combination tool...

- The SB-2IN1 is one of the most adaptable tools you can buy. This versatile bradder and stapler is perfect for the home enthusiast or light user who needs both a stapling and nailing tool.
- Drives brads from 15 to 40mm and staples from 15 to 35mm without the need to change the tool in any way - the ultimate in flexibility.
- Complete with 1000 brads and 800 staples.

### TOOL SPECIFICATION

<b>Model</b>	<b>SB-2IN1</b>	<b>Noise (dB)</b>	<b>LPA 1S, d</b>	86.6
<b>Weight</b>	1.1kg		<b>LWA 1S, d</b>	93.3
<b>Trip Type</b>	Seq		<b>LPA 1S, 1m</b>	80.3
<b>Magazine Capacity</b>	100	<b>Operating Pressure (PSI)</b>		75-100
<b>Vibration (m/s<sup>2</sup>)</b>	<2.5	<b>(BAR)</b>		5-7

### FASTENER RANGE

**BT13**

**SX**

LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
<b>BT BRADS</b>				
15	BT1300B-1M	GALVANISED BRAD BROWN	CLAM	1000
19	BT1303B-1M	GALVANISED BRAD BROWN	CLAM	1000
25	BT1309B-1M	GALVANISED BRAD BROWN	CLAM	1000
30	BT1314B-1M	GALVANISED BRAD BROWN	CLAM	1000
32	BT1332B-1M	GALVANISED BRAD BROWN	CLAM	1000
35	BT1335B-1M	GALVANISED BRAD BROWN	CLAM	1000
40	BT1340B-1M	GALVANISED BRAD BROWN	CLAM	1000
<b>SX STAPLES</b>				
15	SX503515CS	GALVANISED SX STAPLE	CLAM	800
20	SX503520CS	GALVANISED SX STAPLE	CLAM	800
25	SX503525CS	GALVANISED SX STAPLE	CLAM	800
30	SX503530CS	GALVANISED SX STAPLE	CLAM	800
35	SX503535CS	GALVANISED SX STAPLE	CLAM	800

Also fully compatible with BT13 brads listed on page 17 and SX staples listed on page 19.

### ACCESSORIES

Code	Product	Qty
JV5102E1	No-Mar Tip	1 x Pack of 1






# STAPLER


## Stapler SX1838-E

### FEATURES


- 1




Selectable trigger system switches between sequential and contact trip instantly
- 2




Fastener lockout system prevents dry firing & reworking
- 3



Oil free engine ensures low maintenance and eliminates oil stains on the workpiece
- 4




Dial-A-Depth for adjusting the depth of drive quickly and easily
- 5



Comes complete with carry case

### FASTENERS **SX**

SX Staples:



### APPLICATIONS

- Fence & trellis assembly

● Boat building
- Animal runs & enclosures

● Furniture & case back assembly



## Effortless stapling for construction...

- With user-friendly features such as Dial-A-Depth for quick countersinking adjustments and a selectable trigger system, the SX1838-E stapler will make light work of construction stapling applications.
- This rugged tool drives staples from 12 to 38mm length and offers extreme reliability and durability, yet with low maintenance due to the oil free design.
- Comes complete with 1000 fasteners and carry case.

### TOOL SPECIFICATION

Model	SX1838-E	Noise (dB)	LPA 1S, d	81.3
Weight	1.36kg		LWA 1S, d	87.5
Trip Type	Seq / Con		LPA 1S, 1m	75.5
Magazine Capacity	100	Operating Pressure (PSI)		70-120
Vibration (m/s2)	3.1		(BAR)	4.8-8.3

### FASTENER RANGE **SX**

LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
15	SX503515CS	SX STAPLE GALV	CLAM	800
20	SX503520CS	SX STAPLE GALV	CLAM	800
25	SX503525CS	SX STAPLE GALV	CLAM	800
30	SX503530CS	SX STAPLE GALV	CLAM	800
35	SX503535CS	SX STAPLE GALV	CLAM	800
BULK STAPLES				
15	SX503515Z	SX STAPLE GALV	BOX	5000
19	SX503519Z	SX STAPLE GALV	BOX	5000
22	SX503522Z	SX STAPLE GALV	BOX	5000
25	SX503525Z	SX STAPLE GALV	BOX	5000
30	SX503530Z	SX STAPLE GALV	BOX	3000

\*SB-150SX / SX150K-1



# STAPLER

## Wide Crown Stapler 21684B-E

### FEATURES

- 1

Variable power control for precise adjustments in the depth of drive
- 2

Secondary safety trigger allows staples to be driven without touching the wood
- 3


Rear exhaust directs air away from work area and the user
- 4

Small, compact design for access into small or restricted areas
- 5

Comes complete with carry case

### FASTENERS **84**

84 Series Staples:



### APPLICATIONS

- Vapour barriers

● Furniture
- Sheeting

● Carpet & underlay
- Shingle roofing



### The tool for production applications...

- The 21684B-E is the ideal tool where access is an issue, but its compact design hasn't prevented it being built with the heavy user in mind.
- Featuring a magazine capacity of 125 staples yet weighing only 0.8kg, this stapler has an adjustable depth control and rear exhaust to ensure perfect results.

### TOOL SPECIFICATION

Model	21684B-E	Noise (dB)	LPA 1S, d	64.4
Weight	0.8kg		LWA 1S, d	74.0
Trip Type	Trig		LPA 1S, 1m	61.0
Magazine Capacity	125	Operating Pressure (PSI)		80-120
Vibration (m/s2)	<2.5	(BAR)		4.9-8.4

### FASTENER RANGE **84**

LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
4	1840400Z	84 SERIES STAPLE STANDARD	BOX	10000
6	1840600Z	84 SERIES STAPLE STANDARD	BOX	10000
8	1840800Z	84 SERIES STAPLE STANDARD	BOX	10000
10	1841000Z	84 SERIES STAPLE STANDARD	BOX	10000
12	1841200Z	84 SERIES STAPLE STANDARD	BOX	10000
14	1841400Z	84 SERIES STAPLE STANDARD	BOX	10000

TU-216-84-E



# PINNER

## Mini Pinner TU-216-2330K-E

### FEATURES

- 1



Variable power control for precise adjustments in the depth of drive
- 2



Secondary safety trigger allows staples to be driven without touching the wood
- 3



Rear exhaust directs air away from work area and the user
- 4



Small, compact design for access into small or restricted areas
- 5




Comes complete with carry case

### FASTENERS

106

#### Headless Pins:



### APPLICATIONS

- Fine Mouldings
- Furniture
- Fretwork
- Beading



### The ideal tool for tight spaces...

- The TU-216-2330K-E is a lightweight small gauge pinner and is perfect for fine mouldings (avoiding marking of the job), beading or even for tacking work in place while the glue dries.
- Featuring a magazine capacity of 200 pins yet weighing less than 1kg, this pinner also includes an adjustable depth control, auto adjusting magazine and rear exhaust.

### TOOL SPECIFICATION

Model	TU-216-2330K-E	Noise (dB)	LPA 1S, d	68.1
Weight	0.984kg		LWA 1S, d	81.1
Trip Type	Trig		LPA 1S, 1m	78.9
Magazine Capacity	200	Operating Pressure	(PSI)	70-100
Vibration (m/s2)	<2.5		(BAR)	5-7

### FASTENER RANGE

106

LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
12	1061200Z	23 GAUGE GALV MINI PIN	BOX	20000
15	1061500Z	23 GAUGE GALV MINI PIN	BOX	20000
18	1061800Z	23 GAUGE GALV MINI PIN	BOX	20000
25	1062500Z	23 GAUGE GALV MINI PIN	BOX	10000
30	1063000Z	23 GAUGE GALV MINI PIN	BOX	10000





# HAMMER TACKER

## Hammer Tacker H30-8D6-E


### FEATURES

- Long handle design for reach & safety
- Anti slip comfort grip for secure hold in all weather conditions
- Lightweight yet durable design to minimise fatigue without compromising performance

### FASTENERS



Power Crown STCR5019 Staples:



### APPLICATIONS

- Roofing
- Plastic sheeting
- Insulation materials
- Packing
- Stair carpet underlay
- Case lining

# HAND TACKER

## Hand Tacker PC8000 / T6-KIT


### FEATURES

- Easy-grip handle with locking mechanism
- Precision engineered block
- Anti-jam magazine
- Steel nose plate
- Comes complete with carry-case & 3000 staples

### FASTENERS



Power Crown STCR5019 Staples:



### APPLICATIONS

- Roofing
- Stair carpet underlay
- Insulation materials



## Balanced Reliability

- Productivity and reliability are maximised thanks to the quick-load magazine and tool-free jam clearing.
- Ideal for insulation, plastic sheeting, roofing paper and moisture wrap, the H30-8D6-E is a great value hammer tacker.
- Comes complete with staples and ballistic nylon holster.

Model	H30-8D6-E
Weight	0.99kg
Magazine Capacity	168

### FASTENER RANGE



LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
6	STCR501906AL	ALUMINIUM POWERCROWN STAPLE	BOX	5000
6	STCR501906Z	GALVANISED POWERCROWN STAPLE	BOX	5000
6	STCR501914-1M	GALVANISED POWERCROWN STAPLE	BOX	1000
8	STCR501908Z	GALVANISED POWERCROWN STAPLE	BOX	5000
10	STCR501910Z	GALVANISED POWERCROWN STAPLE	BOX	5000
10	STCR50193/8-1M	GALVANISED POWERCROWN STAPLE	BOX	1000



## Powerful design

- The T6 hand tacker is precision engineered with an easy-grip handle, steel nose plate and rugged construction to make this tool powerful yet simple to use.
- Designed with an anti jam magazine for easy maintenance, the tool comes complete with carry case and 3000 staples.

Model	PC8000/T6-KIT
Weight	845g
Magazine Capacity	84

### FASTENER RANGE



LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
6	STCR501906AL	STCR5019 STAPLE 6MM ALU 5M	BOX	5000
6	STCR501906Z	STCR5019 STAPLE 6MM GALV 5M	BOX	5000
8	STCR501908Z	STCR5019 STAPLE 8MM GALV 5M	BOX	5000
10	STCR501910Z	STCR5019 STAPLE 10MM GALV 5M	BOX	5000
12	STCR501912Z	STCR5019 STAPLE 12MM GALV 5M	BOX	5000
14	STCR501914Z	STCR5019 STAPLE 14MM GALV 5M	BOX	5000

# FLOOR NAILER

## Manual Flooring Nailer MFN-201

### FEATURES

- Manual tool gives increased portability
- Selectable ratchet mechanism for multiple driving
- Complete with graphite mallet
- Comes complete with carry case

### FASTENERS

FLN

#### L Floor Cleat Nails:



### APPLICATIONS

- Hardwood flooring



### Dual-mode manual flooring nailer...

- The MFN-201 manual flooring nailer features a ratchet drive mode that allows the user to strike the driver multiple times in case the cleat is not set flush with the first blow. The ratchet mode can also be disengaged for single blow operation.
- The tool features rubber bumpers on the side and front to minimise any damage to expensive flooring and comes complete with a graphite anti-vibration mallet.

### TOOL SPECIFICATION

Model	MFN-201	Noise (dB)	LPA 1S, d	-
Weight	3.9kg		LWA 1S, d	-
Trip Type	Hammer		LPA 1S, 1m	-
Magazine Capacity	120	Operating Pressure	(PSI)	-
Vibration (m/s <sup>2</sup> )	-		(BAR)	-

### FASTENER RANGE

FLN

LENGTH	PIN	DESCRIPTION	PACK TYPE	PACK QTY
38	FLN-150	FLOORING CLEAT NAIL	BOX	1000
50	FLN-200	FLOORING CLEAT NAIL	BOX	1000



# FLOOR NAILER

## Pneumatic Flooring Nailer / Stapler MIIIFN / MIIIFS

### FEATURES

- Enables increased productivity and reduction in fatigue over the manual version
- Hammer trigger release snugs the boards tight and releases the nails at the optimum moment for perfect fastening
- Complete with graphite mallet

### FASTENERS



L Floor Cleat Nails:



S4 Staples:



### APPLICATIONS

- Hardwood flooring



### Fast and efficient flooring installation...

- Built to drive either cleats or staples accurately and quickly, these pneumatic flooring tools are perfect for where large areas of flooring need to be laid.
- The tools feature a contoured foot to fit snugly on to the boards, positioning the tool perfectly for an extremely accurate and neat result.
- Two models available: MIIIFN (drives floor cleats) and MIIIFS (drives S4 staples).

### TOOL SPECIFICATION

Model	MIIIFN / MIIIFS	Noise (dB)	LPA 1S, d	90.6
Weight	5.1kg	LWA 1S, d	99.3	
Trip Type	Hammer	LPA 1S, 1m	86.3	
Magazine Capacity	120 / 92	Operating Pressure (PSI)	70-90	
Vibration (m/s2)	3.05	(BAR)	4.9-6.3	

### KEY FASTENERS



LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
MIIIFN				
38	FLN-150	FLOORING CLEAT NAIL	BOX	1000
50	FLN-200	FLOORING CLEAT NAIL	BOX	1000

### KEY FASTENERS



LENGTH MM	PIN	DESCRIPTION	PACK TYPE	PACK QTY
MIIIFS				
38	BCS1514	FLOORING STAPLE	BOX	7728



# COMPRESSORS

## Selection Guide



Designed to work with our extensive range of pneumatic tools, Bostitch compressors are full of user friendly features and are built to perform whether in a production environment or on site.

To make sure you have the correct compressor for your application, follow this simple 4 step guide.

	VOLTAGE	WEIGHT	PUMP
10	240	25kg	Oil
	110	25kg	Oil

## Recommended Tool Capacity

Displayed with each compressor is a guide to the number of tools of a specific size that can be used with that model. Each colour represents a different tool size:

S

Small:

BT1855-E, SB-2IN1, SX1838-E, 21684B-E, TU-216-2330K-E

M

Medium:

N66C-2-E, N62FNB-E, FN1664-E, SB-HC50FN

L

Large:

F28WW-E, F21PL-E, F33PT-E, F33PTSM-E, MCN150-E, MIIIFN, MIIIF

i

The number of tools suggested is for guidance only. It is applicable only to that tool size and does not account for a mixture of different tool sizes being used at the same time.

### STEP 1

#### Where will it be used?

Make sure that you choose the correct voltage. If you are using the compressor on-site, the 110v version is most appropriate.

### STEP 2

#### Which tank size is most appropriate?

When choosing your tank size, just remember that the size of tank doesn't affect the volume of air delivery of the compressor but it WILL affect the amount the motor has to run to keep the tank full.



If you are planning on using more than one tool from a compressor or you want to keep motor running noise to a minimum, choose a larger tank.

Just remember that what you gain in tank size, you may lose with portability.

### STEP 3

#### What extra features would be useful?

The Bostitch range of compressors vary not just in size and output but also in features. If you need extras such as twin air outlets or a built-in tool & fastener tray make sure you choose the correct model.



### STEP 4

#### How many tools will be used at once?

Calculating exactly how many tools a compressor will power at once involves a lot of variable factors such as the hardness of the wood, the type of fastener and, more fundamentally, what type of tool is being used.

For a quick reference guide to find the most appropriate compressor for your tool, please refer to the 'Recommended Tool Capacity' details (on the left of this page).

If you would like more details on which compressor to choose please visit our website, [www.bostitch.co.uk](http://www.bostitch.co.uk) or contact our Customer Services team.

## IMPORTANT

**PLEASE NOTE:** All compressors should be operated close to the main electrical power source. Where this is not possible we recommend that a long air hose is used as a drop in line voltage may occur if run off an extension lead.

However, if you must operate the compressor away from the main power source, using an extension cable, we recommend:

- 240v compressors - a 13amp 240v heavy duty cable is used
- 110v compressors - a 16amp (min) 110v heavy duty cable is used

Please ensure that you use a minimum 3.3 Kva single outlet transformer when using a 110v compressor.

# COMPRESSORS

## MRC6-U

- 6 litre tank with high-output oil-free motor and fast tank charge, ready to go in just 96 seconds!
- Superb power to weight ratio - weighs just 10.5kg but can power up to 30 brad nailer shots per minute
- LED On/Off switch to eliminate misfires
- Integrated carry handle, tool and hose storage
- Anti-slip feet to reduce floor creep
- Complete with 5 metre hose

S

M

\*For guidance only.  
See page 25 for more details

i

## C24-U C24-U110

110v OR 240v

- 24 litre tank and powerful 2.2hp motor, gives over 230 litres per minute air displacement
- Oil lubricated pump for long term durability and performance
- Ball style drain valve designed for easy access and better durability
- Oversized twin output gauges and easy to use regulator makes setting correct air pressure quick and easy
- Complete with 10 metre hose

S

M

L

\*For guidance only.  
See page 25 for more details

i

## Compact & powerful design.

Extremely portable compressor delivering high performance in a lightweight and compact design.



Model		MRC6-U	HP (Max / Running)		1.5 / 1.5
Voltage		230	Free Air Delivery	L/Min	75
Tank Size		6 Ltrs	@ 7 Bar	C.F.M	2.65
Weight		10.5 kg	Air Displacement	L/Min	170
Pump Type		Oil-Free		C.F.M	6.0
Noise @ 4m	Lwa dB(A)	96 dB	Operating	(BAR)	0-8
	Lp dB(A)	75 dB	Pressure	(PSI)	0-116

## Long-lasting high performance.

With a 24 litre tank and a host of features selected for long term performance, including ball style drain valves and a lubricated pump, this unit is the perfect entry level compressor, and is available in both 240v or 110v versions.



Model		C24-U	C24-U110	HP (Max / Running)		2.5 / 2.2	2.5 / 2.2
Voltage		230	110	Free Air Delivery	L/Min	108	100
Tank Size		24 Ltrs	24 Ltrs	@ 7 Bar	C.F.M	3.8	3.5
Weight		25 kg	25 kg	Air Displacement	L/Min	233	233
Pump Type		Lubricated	Lubricated		C.F.M	8.2	8.2
Noise @ 4m	Lwa dB(A)	94 dB	94 dB	Operating	(BAR)	0-10	0-10
	Lp dB(A)	72 dB	72 dB	Pressure	(PSI)	0-145	0-145

C50-U

- 50 litre tank and powerful 2.2hp motor, gives over 230 litres per minute air displacement
- Oil lubricated pump for long term durability and performance
- Ball style drain valve designed for easy access and better durability
- Oversized Twin output gauges and easy to use regulator makes setting correct air pressure quick and easy
- Complete with 10 metre hose

S

S

M

M

L

\*For guidance only.  
See page 25 for more details.

i

RC-10-U  
RC-10-U110 110v OR 240v

- 10 litre tank and 1.85hp easy start motor
- Oil-free motor and easy access drain valve minimises maintenance and allows for vertical or horizontal storage
- Steel rollcage protects from all sides
- Twin output gauges and easy to use regulator makes setting correct air pressure quick and easy
- Balanced design can be carried in one hand for easy portability
- Complete with 10 metre hose

S

S

M

M

L

\*For guidance only.  
See page 25 for more details.

i

Powerful with large tank capacity

Featuring a tank with over double the capacity of the 24 litre version, this compressor is ideal for situations where minimal motor running is required. The design includes ball style drain valves and a lubricated pump for maximum durability.



Model		C50-U	HP (Max / Running)		2.5 / 2.2
Voltage		230	Free Air Delivery		L/Min 108
Tank Size		50 Ltrs	@ 7 Bar		C.F.M 3.8
Weight		36 kg	Air Displacement		L/Min 233
Pump Type		Lubricated			C.F.M 8.2
Noise @ 4m	Lwa dB(A)	94 dB	Operating		(BAR) 0-10
	Lp dB(A)	71.2 dB	Pressure		(PSI) 0-145

Portable & rugged for use on-site.

Compact and balanced on-site compressor featuring an all-over rollcage for tough environments and long lasting performance without compromising on quality.




Model		RC-10-U	RC-10-U110	HP (Max / Running)		2.0 / 1.85	2.0 / 1.85
Voltage		230	110	Free Air Delivery		L/Min 82	82
Tank Size		10 Ltrs	10 Ltrs	@ 7 Bar		C.F.M 2.9	2.9
Weight		18 kg	18 kg	Air Displacement		L/Min 216	216
Pump Type		Oil-Free	Oil-Free			C.F.M 7.6	7.6
Noise @ 4m	Lwa dB(A)	97 dB	97 dB	Operating		(BAR) 0-10	0-10
	Lp dB(A)	75.5 dB	75.5 dB	Pressure		(PSI) 0-145	0-145



PS20-U  
PS20-U110

110v OR 240v

- Powerful 2.5hp motor gives 240 litres per minute air displacement for use with multiple framing nailers
- Twin air outlets for easy multiple tool use
- Twin output gauges and easy to use regulator makes setting correct air pressure quick and easy
- Integrated rollcage with folding handle for easy portability and storage
- High impact tyres for on-site durability
- Complete with 10 metre hose



\*For guidance only.  
See page 25 for more details.



The ultimate on-site  
compressor...



Engineered for rugged on-site performance & packed with features, the **PowerStation** is the first choice for construction sites.



Model		PS20-U	PS20-U110	HP (Max / Running)		2.5 / 2.3	22.5 / 2.30
Voltage		230	110	Free Air Delivery	L/Min	138	100
Tank Size		20 Ltrs	20 Ltrs	@ 7 Bar	C.F.M	4.9	3.5
Weight		35kg	35kg	Air Displacement	L/Min	240	196
Pump Type		Lubricated	Lubricated		C.F.M	8.5	6.9
Noise @ 4m	Lwa dB(A)	96 dB	96 dB	Operating	(BAR)	0-10	0-10
	Lp dB(A)	74.8 dB	74.8 dB	Pressure	(PSI)	0-145	0-145

# COMBO KITS

## Complete Kits & Great value- the ideal start to fastening.....

Our Combo Kits are the perfect way to get started, in one easy package. Featuring the latest MRC6 compressor and all the attachments you need, each combo features one of our key fastening tools with a tough moulded carry case, air line lubricant and fasteners - ready to go.

### MRC6/SX-U

#### Includes

- SX1838-E Stapler
- Rugged 6 Ltr Rollcage compressor
- All air connectors & 5m air hose
- Oil, carry-case & fasteners
- Includes 1000 x staples



### MRC6/BT-U

#### Includes

- BT1855-E Bradder
- Rugged 6 Ltr Rollcage compressor
- All air connectors & 5m air hose
- Oil, carry-case & fasteners
- Includes 1000 x brad nails



### MRC6/2IN1-U

#### Includes

- SB-2IN1 Bradder & Stapler
- Rugged 6 Ltr Rollcage compressor
- All air connectors & 5m air hose
- Oil, carry-case & fasteners
- Includes 1000 x brad nails & 800 x staples



# ACCESSORIES

## Airlines & Air Accessories



### FEATURES

- Available in both 15m and 30m
- Lightweight construction for minimal dragging
- Rugged reinforced polyurethane material resists kinking, tangling or splitting
- Hose comes complete with couplings compatible with all Bostitch pneumatic tools and compressors
- Built in snap-fit strain relief fittings on each end
- 200 PSI maximum working pressure

## PROZHOZE™ Premium Quality Air Hose

**Durable & lightweight- with no tangles and no snagging.** Advanced design & material provides trouble free use in any situation.

**The ultimate jobsite air hose with technology built in...**



#### Flexible from -40°C to 80°C

Improved all-weather flexibility versus competitive hoses for revolutionary workability

#### Ribbed Design


Prevents hose from sticking to itself or other job site obstacles

#### High Visibility Safety Yellow

For improved job site visibility. Non marring translucent reinforced Polyurethane gives a clear view of any airline contaminants

#### Super Lightweight

2 x lighter than standard air hoses



### PROZHOZE

PIN	DESCRIPTION
PRO-1450-25	6MM DIAMETER X 15M PREMIUM POLYURETHANE AIR HOSE WITH #25 COUPLINGS
PRO-38100-25	10MM DIAMETER X 30M PREMIUM POLYURETHANE AIR HOSE WITH #25 COUPLINGS

### REPAIR KITS

PIN	DESCRIPTION
PRO-14REPAIR	INCLUDES 1 MENDER AND 1 THREADED END FITTING FOR THE 6MM DIAMETER PROZHOZE
PRO-38REPAIR	INCLUDES 1 MENDER AND 1 THREADED END FITTING FOR THE 10MM DIAMETER PROZHOZE





# ACCESSORIES

## Airlines & Air Accessories

### CPACK15

15m Air Line Combo Pack

Complete with:

- Blower Gun
- Air Fittings
- Oil for pneumatic tools



### CPACK30

30m Air Line Combo Pack

- 30m hose with connectors
- 360° turntable
- Rollcage design



## AIR TREATMENTS

### Pressure Gauges

	Range	Fitting	Back	Dia
MTRA1640	0-16 bar	1/8"	Back	40
MTRA1663	0-16 bar	1/4"	Back	63

### Pressure Regulators (Excelon)

R73G-2GK-RMN	1/4" fitting / 0,3-10bar / 50 dm 3/s
R07-200-RNKG	1/4" fitting / 0,3-10bar / 7 dm 3/s

### Filter Traps

F64G-3GN-MD3	Filter/ water separator / 3/8" fitting / manual tap
--------------	---



## ACCESSORIES

PIN	Description
SB32	Oil (1 litre) for pneumatic tools
ISOVG100	SAE30 compressor oil
SB-BG1	Blowing gun



## QUICK DISCONNECT NIPPLES/ AIR COUPLINGS MALE AND FEMALE

### CEJN Type Euro / 25 Series

PIN	Description
10.320.5152	CEJN Euro Nipple - 1/4" Male
10.320.5155	CEJN Euro Nipple - 3/8" Male
10.320.5202	CEJN Euro Nipple - 1/4" Female
10.320.5204	CEJN Euro Nipple - 3/8" Female
10.320.1152	CEJN Euro Coupler - 1/4" Male
10.320.1154	CEJN Euro Coupler - 3/8" Male



0.320.1202	CEJN Euro Coupler - 1/4" Female
10.320.1204	CEJN Euro Coupler - 3/8" Female

### PCL Type / 19 Series

19PM	PCL 19 Series Nipple - 1/4" Male
------	----------------------------------



### Y Piece Connectors

19.900.5916	Y Piece Connector 3 x 1/4" Female
19.900.5912	Y Piece Connector 3 x 3/8" Female



**AT****Bostitch Österreich**

Stanley Black & Decker Austria GmbH  
 Oberlaaer Strasse 248, 1230 Wien  
 ÖSTERREICH  
 T: +43 1 66 11 66 33  
[bostitch.de@sbdinc.com](mailto:bostitch.de@sbdinc.com)  
[www.bostitch.at](http://www.bostitch.at)

**BE****NL****Bostitch Benelux**

Stanley Black & Decker Belgium BVBA  
 p/a Egide Walschaertsstraat nr. 16  
 2800 Mechelen  
 BELGIË  
 Tel: +32 15 47 38 00  
[bostitch.benelux@sbdinc.com](mailto:bostitch.benelux@sbdinc.com)  
[www.stanley-bostitch.be](http://www.stanley-bostitch.be)  
[www.stanley-bostitch.nl](http://www.stanley-bostitch.nl)

**CH****Bostitch Schweiz**

Stanley Works (Europe) GmbH  
 Sitz: Dübendorf  
 In der Luberzen 42, 8902 Urdorf  
 SCHWEIZ  
 Tel: +41 (0)44 755 60 70  
[www.bostitch.ch](http://www.bostitch.ch)

**CZ****SK****Stanley Black & Decker Czech Republic s.r.o.**

Türkova 5b, 149 00 Praha 4 - Chodov  
 ČESKÁ REPUBLIKA  
 Tel. +420 602 745440  
[petr.popovsky@sbdinc.com](mailto:petr.popovsky@sbdinc.com)  
[www.bostitch.cz](http://www.bostitch.cz)

**DE****Bostitch Deutschland**

Stanley Black & Decker Deutschland GmbH  
 Black-&-Decker Str. 40  
 65510 Idstein  
 DEUTSCHLAND  
 Tel: +49 (0) 6126 21-2985  
[bostitch.de@sbdinc.com](mailto:bostitch.de@sbdinc.com)  
[www.stanley-bostitch.de](http://www.stanley-bostitch.de)

**ES****PT****Stanley Black & Decker Ibérica SLU**

Parque de Negocios "Mas Blau"  
 Edificio Muntadas  
 C/ Bergueda n. 1 Of. A6  
 08820 El Prat de Llobregat  
 Barcelona,  
 ESPAÑA  
 Tel: +34 93 217 65 02  
[iberia.bostitch@sbdinc.com](mailto:iberia.bostitch@sbdinc.com)  
[www.bostitch.es](http://www.bostitch.es)

**FR****Bostitch France**

Stanley Black & Decker France SAS  
 BP No. 90,  
 112 Avenue Charles de Gaulle  
 91423 Morangis Cedex  
 FRANCE  
 Tel: +33 0 (1) 69 10 80 41 ou 40 ou 08  
[adv-bostitch@sbdinc.com](mailto:adv-bostitch@sbdinc.com)  
[www.bostitch.fr](http://www.bostitch.fr)

**GB****Bostitch UK**

210 Bath Road  
 Slough  
 SL1 3YD  
 ENGLAND  
 Tel: +44 (0)870 1 630 630  
[bostitchuksales@sbdinc.com](mailto:bostitchuksales@sbdinc.com)  
[www.bostitch.co.uk](http://www.bostitch.co.uk)

**IT****Stanley Black & Decker Italia S.r.l.**

Via Energy Park 6  
 20871 Vimercate (MB)  
 ITALIA  
 Tel: +39 039 9590.205  
 Fax: +39 039 9590.312  
[bostitchitaly@stanleyworks.com](mailto:bostitchitaly@stanleyworks.com)  
[www.bostitch.it](http://www.bostitch.it)

**PL****Stanley Black & Decker Polska Sp. z o.o.**

Ul. Postępu 21D  
 02-676 Warszawa  
 POLSKA  
 Tel: +48 22 464 2735  
[sales.bostitch@sbdinc.com](mailto:sales.bostitch@sbdinc.com)  
[www.bostitch.pl](http://www.bostitch.pl)

Authorised distributor

**BOSTITCH WARRANTY TERMS & CONDITIONS****1 YEAR LIMITED WARRANTY**

Bostitch pneumatic tools are fully cycled and tested prior to despatch.

Bostitch warrants this product to the original purchaser for one year from the date of purchase against any defect in material or workmanship, and agrees to repair or replace, at Bostitch's option any defect of that material or workmanship.

This warranty is not transferable. It only covers damage resulting from defects in material and workmanship, and it does not cover conditions or malfunctions resulting from normal wear, neglect, abuse, accident or repairs made by other than our regional repair centre or authorised warranty service centres.

Driver blades, bumpers, and O rings are considered normally wearing parts.

We are not liable for any indirect, consequential or incidental loss or damage of any kind (including loss of profits, revenue or contracts) or for any damage to or destruction of any property.

To obtain warranty service, return the product at your expense together with proof of purchase to our regional repair centre, or an authorised warranty centre.

All tool data shown is for comparative purposes only. Full Health & Safety technical data is available on request.

**www.bostitch.co.uk**

FT042016/CONA4/UK